

## Usage Guideline

# **CBPRPlus- pacs.008.001.08\_FIToFICustomerCreditTra nsfer**

OneClearstream - CBPR+ Customers (SR2025)

This document describes a usage guideline restricting the base message pacs.008.001.08. You can also consult this [information online](#).

Published by Clearstream and generated by [MyStandards](#).

26 January 2026

|                              |            |
|------------------------------|------------|
| <b>Table of Content</b>      | <b>2</b>   |
| <b>Message Functionality</b> | <b>3</b>   |
| <b>About this document</b>   | <b>8</b>   |
| <b>Usage Guideline</b>       | <b>9</b>   |
| <b>Rule Definitions</b>      | <b>58</b>  |
| <b>Legal Notices</b>         | <b>119</b> |

# Message Functionality

## Collection Description

OneClearstream - CBPR+ Customers (SR2025) ([link](#))

This is the Cross-Border Payment and Reporting Collection part of Standards Release November 2025 for Clearstream.

## Usage Guideline Description

CBPRPlus-pacs.008.001.08\_FIToFICustomerCreditTransfer ([link](#))

Principles:

### 1A. AGENTS IDENTIFICATION -Textual Rules

-> If BICFI is present, then (Name & Postal Address) is NOT allowed (ClearingSystemMemberIdentification and LEI may complement) – However, in case of conflicting information, the BICFI will always take precedence.

-> If BICFI is absent, (Name & Postal Address) OR [(Name & Postal Address) and ClearingSystemMemberIdentification] must be present.

Exception: If BICFI is absent, whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.

Note: "Instructing/ Instructed Agents" must be identified with a BICFI - Clearing System Members Identification and LEI are optional.

### 1B. DEBTOR/CREDITOR - PARTY IDENTIFICATION - Textual Rules

-> If AnyBIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.

-> If Name is present, it is recommended to use Postal Address.

2. Single transactions only are allowed.

3. Character Set:

All proprietary and Text fields EXCLUDING Name and Address for all actors and Related

Remittance Information and Remittance are limited to the FIN-X-Character set.

All Name and Address for all actors, Related Remittance Information and Remittance Information (structured and unstructured), Email Address where included as part of a proxy element are extended to support the following additional characters:

!#\$&%\*='{}~";<>@[`]

< is replaced with &lt;

> is replaced with &gt;

#### 4. CBPR\_Agent\_PointToPointOnSWIFT:

If the transaction is exchanged on the SWIFT network (ie if the instructing agent/sender and instructed agent/receiver of the message are on SWIFT), then BICFI is mandatory and other elements are optional, eg LEI

### Outline

In the Collection OneClearstream - CBPR+ Customers (SR2025), the message CBPRPlus-pacs.008.001.08\_FIToFICustomerCreditTransfer is composed of a mandatory Business Application Header V02 (head.001.001.02) and a Document.

#### **Business Application Header V02 (head.001.001.02)**

The Business Application Header V02 (head.001.001.02) is composed of 15 elements.

##### **a - Character Set**

Contains the character set of the text-based elements used in the Business Message.

##### **b - From**

The sending MessagingEndpoint that has created this Business Message for the receiving MessagingEndpoint that will process this Business Message.

Note the sending MessagingEndpoint might be different from the sending address potentially contained in the transport header (as defined in the transport layer).

##### **c - To**

The MessagingEndpoint designated by the sending MessagingEndpoint to be the recipient who will ultimately process this Business Message.

Note the receiving MessagingEndpoint might be different from the receiving address potentially contained in the transport header (as defined in the transport layer).

##### **d - Business Message Identifier**

Unambiguously identifies the Business Message to the MessagingEndpoint that has created the Business Message.

**e - Message Definition Identifier**

Contains the MessageIdentifier that defines the BusinessMessage.

It must contain a MessageIdentifier published on the ISO 20022 website.

example camt.001.001.03.

**f - Business Service**

Specifies the business service agreed between the two MessagingEndpoints under which rules this Business Message is exchanged.

To be used when there is a choice of processing services or processing service levels.

Example: E&I.

**g - Market Practice**

Specifies the market practice to which the message conforms. The market practices are a set of rules agreed between parties that restricts the usage of the messages in order to achieve better STP (Straight Through Processing) rates.

A market practice specification may also extend the underlying message specification by using extensions or supplementary data of this underlying message.

**h - Creation Date**

Date and time when this Business Message (header) was created.

**i - Business Processing Date**

Processing date and time indicated by the sender for the receiver of the business message.

This date may be different from the date and time provided in the CreationDate.

Usage: Market practice or bilateral agreement should specify how this element should be used.

**j - Copy Duplicate**

Indicates whether the message is a Copy, a Duplicate or a copy of a duplicate of a previously sent ISO 20022 Message.

**k - Possible Duplicate**

Flag indicating if the Business Message exchanged between the MessagingEndpoints is possibly a duplicate.

If the receiving MessagingEndpoint did not receive the original, then this Business Message should be processed as if it were the original.

If the receiving MessagingEndpoint did receive the original, then it should perform necessary actions to avoid processing this Business Message again.

This will guarantee business idempotent behaviour.

NOTE: this is named "PossResend" in FIX - this is an application level resend not a network

level retransmission.

**I - Priority**

Relative indication of the processing precedence of the message over a (set of) Business Messages with assigned priorities.

**m - Signature**

Contains the digital signature of the Business Entity authorised to sign this Business Message.

**n - Related**

Specifies the Business Application Header(s) of the Business Message(s) to which this Business Message relates.

Can be used when replying to a query; can also be used when canceling or amending.

**o - CrossElementComplexRule : RelatedPresentWhenCopyDupl**

Related MUST contain the relevant BusinessMessageHeader elements of the BusinessMessage to which this BusinessMessage relates.

If CopyDuplicate is present, then Related MUST be present.

**Document - FI To FI Customer Credit Transfer V08 (pacs.008.001.08)**

The Document - FI To FI Customer Credit Transfer V08 (pacs.008.001.08) is composed of 12 elements.

**a - Group Header**

Set of characteristics shared by all individual transactions included in the message.

**b - Credit Transfer Transaction Information**

Set of elements providing information specific to the individual credit transfer(s).

**c - Supplementary Data**

Additional information that cannot be captured in the structured elements and/or any other specific block.

**d - CrossElementComplexRule : InstructedAgentRule**

If GroupHeader/InstructedAgent is present, then

CreditTransferTransactionInformation/InstructedAgent is not allowed.

**e - CrossElementComplexRule : InstructingAgentRule**

If GroupHeader/InstructingAgent is present, then

CreditTransferTransactionInformation/InstructingAgent is not allowed.

**f - CrossElementComplexRule : TotalInterbankSettlementAmountRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

**g - CrossElementComplexRule : TotalInterbankSettlementAmountAndSumRule**

If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

**h - CrossElementComplexRule : GroupHeaderInterbankSettlementDateRule**

If GroupHeader/InterbankSettlementDate is present, then  
CreditTransferTransactionInformation/InterbankSettlementDate is not allowed.

**i - CrossElementComplexRule : TransactionInterbankSettlementDateRule**

If GroupHeader/InterbankSettlementDate is not present, then  
CreditTransferTransactionInformation/InterbankSettlementDate must be present.

**j - CrossElementComplexRule : PaymentTypeInformationRule**

If GroupHeader/PaymentTypeInformation is present, then  
CreditTransferTransactionInformation/PaymentTypeInformation is not allowed.

**k - CrossElementSimpleRule : NumberOfTransactionsAndCreditTransfersRule**

GroupHeader/NumberOfTransactions must equal the number of occurrences of  
CreditTransferTransactionInformation.

**l - Textual : SupplementaryDataRule**

The SupplementaryData building block at message level must not be used to provide  
additional information about a transaction. The SupplementaryData element at transaction  
level should be used for that purpose.

## About this document

### Legend

| Abbreviation | Term               | Description   |
|--------------|--------------------|---|
| X            | Excluded           | An optional field or element must not be populated.                   |
| I            | Ignored            | A field or element could be populated but is ignored by the receiver. |
| [x..y]       | Multiplicity       | A field or element multiplicity has changed.                          |
| FV           | Fixed Value        | A field or element must contain a given value.                        |
| T/C          | Type / Code Change | A user-defined datatype replaces an existing simple datatype.         |
| A            | Element Added      | A field or element has been added.                                    |

| Header             | Description                       |
|--------------------|-----------------------------------|
| Index              | Element reference                 |
| LvL                | Element nesting in tree hierarchy |
| Name               | Element name                      |
| XML Tag            | Element XML tag                   |
| Mult               | Element multiplicity              |
| Type / Code        | Element formatting                |
| Rest               | Restriction type                  |
| Additional details | Other restriction specifics       |

| Type/Code Notation     | Describes the Element                                 | Examples                       |
|------------------------|---|--------------------------------|
| text{m,M}              | minimum (m) and maximum (M) length                    | text{1,35}                     |
| text{L}                | maximum (L) length, minimum length is 0               | text{10}                       |
| m <= decimal <= M      | minimum (m) and maximum (M) values                    | 0.01 <= decimal <= 9999.99     |
| fd = F, td = T         | maximum fractional (F) and total (T) number of digits | fd = 2, td = 11                |
| <>regular expression>> | regular expression pattern                            | [A-Z]{6,6}{[A-Z0-9]{3,3}}{0,1} |

| Index | Lv I | Name  | XML Tag       | Mult   | Type / Code  | Rest r | Additional details  |
|-------|------|---|---------------|--------|--|--------|---|
|       | 0    | Full Message                                      |               | [1..1] |  |        | Rules: R1, R2, R3   |
|       | 1    | Business Application Header V02 (head.001.001.02) | <AppHdr>      | [1..1] |  |        |   |
|       | 2    | Character Set                                     | <CharSet>     | [0..1] | text   |        | Rules: R4   |
|       | 2    | From  | <Fr>          | [1..1] | Choice   |        | Comment:<br>Usage Rule:<br>1. When exchanged on SWIFT, "From" must contain either a BIC8 or a BIC11<br>2. Additional Information may be used optionally<br>3. If there is an inconsistency, the BIC will take precedence. |
|       | 3    | Financial Institution Identification              | <FIId>        | [1..1] |  |        |   |
|       | 4    | Financial Institution Identification              | <FinInstnId>  | [1..1] |  |        |   |
|       | 5    | BICFI   | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1] | Rules: R2, R3   |
|       | 5    | Clearing System Member Identification             | <ClrSysMmbId> | [0..1] |  |        |   |
|       | 6    | Clearing System Identification                    | <ClrSysId>    | [0..1] | Choice   | [1..1] |   |
|       | 7    | Code  | <Cd>          | [1..1] | text{1,5}  |        |   |
|       | 6    | Member Identification                             | <MmbId>       | [1..1] | text{1,35}   | T/C    | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?\:\(\)\.\,\+\ ]+   |
|       | 5    | LEI   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |        |   |
|       | 2    | To  | <To>          | [1..1] | Choice   |        | Comment:<br>Usage Rule:<br>1. When exchanged on SWIFT, "To" must contain either a BIC8 or a BIC11<br>2. Additional Information may be used optionally<br>3. If there is an inconsistency, the BIC will take precedence.   |
|       | 3    | Financial Institution Identification              | <FIId>        | [1..1] |  |        |   |

| Index | Lv I | Name                                  | XML Tag       | Mult   | Type / Code   | Rest r        | Additional details  |
|-------|------|---------------------------------------|---------------|--------|---|---------------|---|
|       | 4    | Financial Institution Identification  | <FinInstnId>  | [1..1] |   |               |   |
|       | 5    | BICFI                                 | <BICFI>       | [0..1] | text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]        | Rules: R2, R3   |
|       | 5    | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |   |               |   |
|       | 6    | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice  | [1..1]        |   |
|       | 7    | Code                                  | <Cd>          | [1..1] | text{1,5}   |               |   |
|       | 6    | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}  | T/C           | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+   |
|       | 5    | LEI                                   | <LEI>         | [0..1] | text [A-Z0-9]{18,18}[0-9]{2,2}                                |               |   |
|       | 2    | Business Message Identifier           | <BizMsgIdr>   | [1..1] | text{1,35}  |               | Rules: R5<br>-----<br>Comment:<br>The field must be populated with the Message identification (present at the level of the group header). |
|       | 2    | Message Definition Identifier         | <MsgDefIdr>   | [1..1] | text{1,35}  |               | Rules: R6   |
|       | 2    | Business Service                      | <BizSvc>      | [0..1] | text{1,35}  | [1..1]<br>T/C | Rules: R7, R8<br>-----<br>Type Changed:<br>text{6,35}<br>[a-z0-9]{1,10}\.([a-z0-9]{1,10}\.)+\d\d  |
|       | 2    | Market Practice                       | <MktPrtc>     | [0..1] |   |               | Rules: R9   |
|       | 3    | Registry                              | <Regy>        | [1..1] | text{1,350}   |               |   |
|       | 3    | Identification                        | <Id>          | [1..1] | text{1,2048}  |               |   |
|       | 2    | Creation Date                         | <CreDt>       | [1..1] | dateTime  | T/C           | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]   |
|       | 2    | Copy Duplicate                        | <CpyDplct>    | [0..1] | text  |               | Rules: R2, R3   |
|       | 3    | Copy Duplicate                        |               |        | CODU  |               |   |
|       | 3    | Copy                                  |               |        | COPY  |               |   |

| Index | Lv I | Name                                  | XML Tag       | Mult   | Type / Code  | Rest r | Additional details   |
|-------|------|---------------------------------------|---------------|--------|--|--------|--|
|       | 3    | Duplicate                             |               |        | DUPL   |        |  |
|       | 2    | Possible Duplicate                    | <PssblDpct>   | [0..1] | boolean  |        |  |
|       | 2    | Priority                              | <Prty>        | [0..1] | text   | T/C    | <p>Rules: R1</p> <p>-----</p> <p>Type Changed:<br/>One of the following code values must be used:<br/>HIGH (High)<br/>NORM (Normal)</p>  |
|       | 3    | High                                  |               |        | HIGH   |        |  |
|       | 3    | Normal                                |               |        | NORM   |        |  |
|       | 2    | Related                               | <Rltd>        | [0..*] |  | [0..1] | Rules: R10   |
|       | 3    | Character Set                         | <CharSet>     | [0..1] | text   |        | Rules: R4  |
|       | 3    | From                                  | <Fr>          | [1..1] | Choice   |        | <p>Comment:<br/>Usage Rule:<br/>1. When exchanged on SWIFT, "From" must contain either a BIC8 or a BIC11<br/>2. Additional Information may be used optionally<br/>3. If there is an inconsistency, the BIC will take precedence.</p> |
|       | 4    | Financial Institution Identification  | <FIId>        | [1..1] |  |        |  |
|       | 5    | Financial Institution Identification  | <FinInstnId>  | [1..1] |  |        |  |
|       | 6    | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1} | [1..1] |  |
|       | 6    | Clearing System Member Identification | <ClrSysMmbId> | [0..1] |  |        |  |
|       | 7    | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice   | [1..1] |  |
|       | 8    | Code                                  | <Cd>          | [1..1] | text{1,5}  |        |  |
|       | 7    | Member Identification                 | <MmbId>       | [1..1] | text{1,35}   | T/C    | <p>Type Changed:<br/>text{1,28}<br/>[0-9a-zA-Z\-\?\:\(\)\.,\+\ ]+</p>  |
|       | 6    | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                              |        |  |

| Index | Lv I | Name                                  | XML Tag       | Mult   | Type / Code  | Rest r | Additional details  |
|-------|------|---------------------------------------|---------------|--------|--|--------|---|
|       | 3    | To                                    | <To>          | [1..1] | Choice   |        | Comment:<br>Usage Rule:<br>1. When exchanged on SWIFT, "To" must contain either a BIC8 or a BIC11<br>2. Additional Information may be used optionally<br>3. If there is an inconsistency, the BIC will take precedence. |
|       | 4    | Financial Institution Identification  | <FIId>        | [1..1] |  |        |   |
|       | 5    | Financial Institution Identification  | <FinInstnId>  | [1..1] |  |        |   |
|       | 6    | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1} | [1..1] |   |
|       | 6    | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |  |        |   |
|       | 7    | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice   | [1..1] |   |
|       | 8    | Code                                  | <Cd>          | [1..1] | text{1,5}  |        |   |
|       | 7    | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}   | T/C    | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?:\(\)\.\,\+\ ]+  |
|       | 6    | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                              |        |   |
|       | 3    | Business Message Identifier           | <BizMsgIdr>   | [1..1] | text{1,35}   |        | Rules: R5   |
|       | 3    | Message Definition Identifier         | <MsgDefIdr>   | [1..1] | text{1,35}   |        | Rules: R6   |
|       | 3    | Business Service                      | <BizSvc>      | [0..1] | text{1,35}   |        | Rules: R11, R7  |
|       | 3    | Creation Date                         | <CreDt>       | [1..1] | dateTime   | T/C    | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]   |
|       | 3    | Copy Duplicate                        | <CpyDplct>    | [0..1] | text   |        |   |
|       | 4    | Copy Duplicate                        |               |        | CODU   |        |   |
|       | 4    | Copy                                  |               |        | COPY   |        |   |
|       | 4    | Duplicate                             |               |        | DUPL   |        |   |
|       | 3    | Priority                              | <Prty>        | [0..1] | text   |        |   |

| Index | Lv I | Name  | XML Tag             | Mult   | Type / Code         | Rest r | Additional details  |
|-------|------|---|---------------------|--------|---------------------|--------|---|
|       | 1    | Document  |                     | [1..1] |                     |        |   |
|       | 2    | FI To FI Customer Credit Transfer V08 (pacs.008.001.08) | <FIToFICstmrCdtTrf> |        |                     |        | Rules: R12, R13, R14  |
|       | 3    | Group Header  | <GrpHdr>            | [1..1] |                     |        |   |
|       | 4    | Message Identification                                  | <MsgId>             | [1..1] | text{1,35}          | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\().+\+]+  |
|       | 4    | Creation Date Time                                      | <CreDtTm>           | [1..1] | dateTime            | T/C    | Type Changed:<br>dateTime<br>.*(\+ -)((0[0-9]) (1[0-4])):[0-5][0-9]   |
|       | 4    | Number Of Transactions                                  | <NbOfTxns>          | [1..1] | text<br>[0-9]{1,15} | FV     | FixedValue: 1   |
|       | 4    | Settlement Information                                  | <SttlmInf>          | [1..1] |                     |        |   |
|       | 5    | Settlement Method                                       | <SttlmMtd>          | [1..1] | text                |        | Synonym:<br>N/A (in context : Settlement Method implicit in MTs and derived from the presence of certain elements.)   |
|       | 6    | Instructed Agent  |                     |        | INDA                |        |   |
|       | 6    | Instructing Agent                                       |                     |        | INGA                |        |   |
|       | 6    | Cover Method  |                     |        | COVE                |        |   |
|       | 5    | Settlement Account                                      | <SttlmAcct>         | [0..1] |                     | [1..1] | Comment:<br>This field is required for CBL customers.<br>CBL usage: The account number of this field contains the sender's Clearstream Banking account number to be debited.<br>-----<br>Synonym:<br>53B (in context : Sender's Correspondent (option 53B - account to be debited)) |
|       | 6    | Identification  | <Id>                | [1..1] | Choice              |        |   |
|       | 7    | Other   | <Othr>              | [1..1] |                     |        | Comment:<br>This field is required for CBL customers.   |
|       | 8    | Identification  | <Id>                | [1..1] | text{1,34}          | T/C    | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\?:(\()).+\+][([0-9a-zA-Z\?:(\()).+\+]*([0-9a-zA-Z\?:(\()).+\+]))*)   |
|       | 6    | Type  | <Tp>                | [0..1] | Choice              |        |   |
|       | 7    | Code  | <Cd>                | [1..1] | text{1,4}           |        |   |

| Index | Lv I | Name                                    | XML Tag       | Mult   | Type / Code     | Rest r     | Additional details  |
|-------|------|---|---------------|--------|-----------------|------------|---|
|       | 7    | Proprietary                             | <Prtry>       | [1..1] | text{1,35}      | T/C        | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+  |
|       | 6    | Currency                                | <Ccy>         | [0..1] | text [A-Z]{3,3} |            |   |
|       | 6    | Name                                    | <Nm>          | [0..1] | text{1,70}      | T/C        | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+  |
|       | 6    | Proxy                                   | <Prxy>        | [0..1] |                 |            |   |
|       | 7    | Type                                    | <Tp>          | [0..1] | Choice          |            |   |
|       | 8    | Code                                    | <Cd>          | [1..1] | text{1,4}       |            |   |
|       | 8    | Proprietary                             | <Prtry>       | [1..1] | text{1,35}      | T/C        | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+  |
|       | 7    | Identification                          | <Id>          | [1..1] | text{1,2048}    | T/C        | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?:(\()\.,\+ !#\$%&\*=\^`\\~";<>@\\\]]+   |
|       | 3    | Credit Transfer Transaction Information | <CdtTrfTxInf> | [1..*] |                 | [1..1]     | Rules: R15, R16, R17, R18, R19  |
|       | 4    | Payment Identification                  | <PmtId>       | [1..1] |                 |            |   |
|       | 5    | Instruction Identification              | <InstrId>     | [0..1] | text{1,35}      | [1..1] T/C | Rules: R20<br>-----<br>Comment:<br>CBL usage: This field is mandatory and must be unique for each instruction sent to Clearstream Banking.<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+ |

| Index | Lv I | Name                              | XML Tag          | Mult   | Type / Code   | Rest r | Additional details   |
|-------|------|-----------------------------------|------------------|--------|---|--------|--|
|       | 5    | End To End Identification         | <EndToEndId>     | [1..1] | text{1,35}  | T/C    | <p>Comment:<br/>If no End To End Identification is provided by the Debtor, then the element must be populated with "NOTPROVIDED".</p> <p>-----</p> <p>Synonym:<br/>Field 70 (in context : Remittance Information with code /ROC/)</p> <p>-----</p> <p>Type Changed:<br/>text{1,35}<br/>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+</p> |
|       | 5    | UETR                              | <UETR>           | [0..1] | text<br>[a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12} | [1..1] |  |
|       | 4    | Payment Type Information          | <PmtTpInf>       | [0..1] |   | [1..1] |  |
|       | 5    | Clearing Channel                  | <ClrChnl>        | [0..1] | text  |        |  |
|       | 6    | Real Time Gross Settlement System |                  |        | RTGS  |        |  |
|       | 6    | Real Time Net Settlement System   |                  |        | RTNS  |        |  |
|       | 6    | Mass Payment Net System           |                  |        | MPNS  |        |  |
|       | 6    | Book Transfer                     |                  |        | BOOK  |        |  |
|       | 5    | Local Instrument                  | <LclInstrm>      | [0..1] | Choice  |        | Rules: R21   |
|       | 6    | Proprietary                       | <Prtry>          | [1..1] | text{1,35}  | T/C    | <p>Type Changed:<br/>text{1,35}<br/>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+</p>  |
|       | 4    | Interbank Settlement Amount       | <IntrBkSttlmAmt> | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5   | T/C    | <p>Rules: R22, R23, R24</p> <p>-----</p> <p>Comment:<br/>CBL usage: For EMU national currency units, customers will be debited in the currency specified here</p> <p>-----</p> <p>Type Changed:<br/>0 &lt;= decimal<br/>td = 14<br/>fd = 5</p>   |

| Index | Lv I | Name                      | XML Tag         | Mult   | Type / Code                       | Rest r | Additional details  |
|-------|------|---------------------------|-----------------|--------|-----------------------------------|--------|---|
|       | 5    | Xml Attribute Currency    | <Ccy>           |        | text<br>[A-Z]{3,3}                |        | Rules: R22  |
|       | 4    | Interbank Settlement Date | <IntrBkSttlmDt> | [0..1] | date                              | [1..1] |   |
|       | 4    | Instructed Amount         | <InstdAmt>      | [0..1] | 0 <= decimal<br>td = 18<br>fd = 5 | T/C    | <p>Rules: R23, R24</p> <p>-----</p> <p>Comment:</p> <p>CBL usage: Euro-related information (ERI) can be included in the following circumstances only:</p> <ul style="list-style-type: none"> <li>• The payment currency specified in field Interbank Settlement Amount is euro (EUR).</li> <li>• The original currency or the charges currency mentioned in this field is an EMU national currency unit.</li> </ul> <p>If ERI is provided, it will be transmitted by Clearstream Banking.</p> <p>For instructions via Xact File Transfer, this field is mandatory and should by default contain the same values as the currency and amount in field Interbank Settlement Amount.</p> <p>-----</p> <p>Type Changed:<br/>0 &lt;= decimal<br/>td = 14<br/>fd = 5</p> |
|       | 5    | Xml Attribute Currency    | <Ccy>           |        | text<br>[A-Z]{3,3}                |        |   |
|       | 4    | Charge Bearer             | <ChrgBr>        | [1..1] | text                              |        | Rules: R17, R24, R25  |
|       | 5    | Borne By Debtor           |                 |        | DEBT                              |        | Rules: R19  |
|       | 5    | Borne By Creditor         |                 |        | CRED                              |        |   |
|       | 5    | Shared                    |                 |        | SHAR                              |        | <p>Rules: R26</p> <p>-----</p> <p>Synonym:</p> <p>71A (in context : Details of Charges_SHA)</p>   |
|       | 4    | Charges Information       | <ChrgsInfr>     | [0..*] |                                   |        | Rules: R17, R19, R26, R25, R24  |

| Index | Lv I | Name                                  | XML Tag       | Mult   | Type / Code  | Rest r | Additional details  |
|-------|------|---------------------------------------|---------------|--------|--|--------|---|
|       | 5    | Amount                                | <Amt>         | [1..1] | 0 <= decimal<br>td = 18<br>fd = 5                              | T/C    | <p>Synonym:<br/>71F or 71G (in context : Sender's Charges or Receiver's Charges)</p> <p>-----</p> <p>Type Changed:<br/>0 &lt;= decimal<br/>td = 14<br/>fd = 5</p>   |
|       | 6    | Xml Attribute Currency                | <Ccy>         |        | text<br>[A-Z]{3,3}   |        |   |
|       | 5    | Agent                                 | <Agt>         | [1..1] |  |        | <p>Rules: R27, R28, R29, R30, R31</p> <p>-----</p> <p>Comment:<br/>In CBPR+ usage guidelines, the restrictions for Agents Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable.</p> <p>CBL recommends using BIC as an identification in any Agent field. The use of name and address only may result in delays in the processing and potential charges.</p> <p>-----</p> <p>Synonym:<br/>N/A (in context : The party that has lifted charges (71F) or to which charges are due (71G) is implicit in the MT 103 and understood from the payment chain.)</p> |
|       | 6    | Financial Institution Identification  | <FinInstnId>  | [1..1] |  |        | Rules: R12  |
|       | 7    | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1} |        | <p>Comment:<br/>CBL recommends using BIC as an identification in any Agent field. The use of name and address only may result in delays in the processing and potential charges.</p>  |
|       | 7    | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |  |        |   |
|       | 8    | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice   | [1..1] |   |
|       | 9    | Code                                  | <Cd>          | [1..1] | text{1,5}  |        |   |
|       | 8    | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}   | T/C    | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?:\(\)\.\,\+\ ]+  |

| Index | Lv<br>I | Name            | XML Tag   | Mult   | Type / Code                       | Rest<br>r | Additional details   |
|-------|---------|-----------------|-----------|--------|-----------------------------------|-----------|--|
|       | 7       | LEI             | <LEI>     | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2} |           |  |
|       | 7       | Name            | <Nm>      | [0..1] | text{1,140}                       | T/C       | Rules: R12<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+     |
|       | 7       | Postal Address  | <PstlAdr> | [0..1] |                                   |           | Rules: R12, R32, R33, R34<br>-----<br>Comment:<br>It is recommended to use Structured Address only.                  |
|       | 8       | Department      | <Dept>    | [0..1] | text{1,70}                        | T/C       | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |
|       | 8       | Sub Department  | <SubDept> | [0..1] | text{1,70}                        | T/C       | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |
|       | 8       | Street Name     | <StrtNm>  | [0..1] | text{1,70}                        | T/C       | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |
|       | 8       | Building Number | <BldgNb>  | [0..1] | text{1,16}                        | T/C       | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |
|       | 8       | Building Name   | <BldgNm>  | [0..1] | text{1,35}                        | T/C       | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |
|       | 8       | Floor           | <Flr>     | [0..1] | text{1,70}                        | T/C       | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |

| Index | Lv<br>I | Name                 | XML Tag       | Mult        | Type / Code        | Rest<br>r  | Additional details  |   |
|-------|---------|----------------------|---------------|-------------|--------------------|------------|---|---|
|       | 8       | Post Box             | <PstBx>       | [0..1]      | text{1,16}         | T/C        | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+   |   |
|       | 8       | Room                 | <Room>        | [0..1]      | text{1,70}         | T/C        | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+   |   |
|       | 8       | Post Code            | <PstCd>       | [0..1]      | text{1,16}         | T/C        | Rules: R33, R34<br>-----<br>Comment:<br>If Postal address is used, it is recommended to add Post Code when available.<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+ |   |
|       | 8       | Town Name            | <TwnNm>       | [0..1]      | text{1,35}         | T/C        | Rules: R32, R33, R34<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+  |   |
|       | 8       | Name                 | Town Location | <TwnLctnNm> | [0..1]             | text{1,35} | T/C   | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+ |
|       | 8       | District Name        | <DstrctNm>    | [0..1]      | text{1,35}         | T/C        | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+   |   |
|       | 8       | Country Sub Division | <CtrySubDvsn> | [0..1]      | text{1,35}         | T/C        | Rules: R33, R34<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\!#\$\%&\*=\^_`\\{\}\~";<>@\[\\\]\]+   |   |
|       | 8       | Country              | <Ctry>        | [0..1]      | text<br>[A-Z]{2,2} |            | Rules: R32, R33, R34  |   |

| Index | Lv I | Name                                 | XML Tag                | Mult          | Type / Code  | Rest r        | Additional details  |
|-------|------|--------------------------------------|------------------------|---------------|--|---------------|---|
|       | 8    | Address Line                         | <AdrLine>              | [0..7]        | text{1,70}   | [0..3]<br>T/C | Rules: R32, R33, R34<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?-?:\(\)\.,\+\!#\$%&\^=\^`\\{\}\~";>@\\\]+   |
|       | 4    | Instructing Agent                    | <InstgAgt>             | [0..1]        |  | [1..1]        | Comment:<br>In CBPR+ usage guidelines, the restrictions for Agents Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable. |
|       | 5    | Financial Institution Identification | <FinInstnld>           | [1..1]        |  |               |   |
|       | 6    | BICFI                                | <BICFI>                | [0..1]        | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1} | [1..1]        | Rules: R2, R3   |
|       | 6    | Identification                       | Clearing System Member | <ClrSysMmbld> | [0..1]   |               |   |
|       | 7    | Identification                       | Clearing System        | <ClrSysId>    | [0..1]   | Choice        | [1..1]  |
|       | 8    | Code                                 | <Cd>                   | [1..1]        | text{1,5}  |               |   |
|       | 7    | Member Identification                | <Mmbld>                | [1..1]        | text{1,35}   | T/C           | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\?-?:\(\)\.,\+\ ]+   |
|       | 6    | LEI                                  | <LEI>                  | [0..1]        | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                              |               |   |
|       | 4    | Instructed Agent                     | <InstdAgt>             | [0..1]        |  | [1..1]        | Comment:<br>In CBPR+ usage guidelines, the restrictions for Agents Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable. |
|       | 5    | Financial Institution Identification | <FinInstnld>           | [1..1]        |  |               |   |

| Index | Lv I | Name           | XML Tag                              | Mult          | Type / Code   | Rest r                         | Additional details   |
|-------|------|----------------|--------------------------------------|---------------|---|--------------------------------|--|
|       | 6    | BICFI          | <BICFI>                              | [0..1]        | text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} | [1..1]                         | Rules: R2, R3  |
|       | 6    | Identification | Clearing System Member               | <ClrSysMmbld> | [0..1]  |                                |  |
|       | 7    | Identification | Clearing System                      | <ClrSysId>    | [0..1]  | Choice                         | [1..1]   |
|       | 8    |                | Code                                 | <Cd>          | [1..1]  | text{1,5}                      |  |
|       | 7    |                | Member Identification                | <Mmbld>       | [1..1]  | text{1,35}                     | T/C Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ ]+   |
|       | 6    |                | LEI                                  | <LEI>         | [0..1]  | text [A-Z0-9]{18,18}[0-9]{2,2} |  |
|       | 4    |                | Intermediary Agent 1                 | <IntrmyAgt1>  | [0..1]  |                                | <p>Rules: R27, R28, R29, R30, R31</p> <p>Comment:</p> <p>CBL recommendation:</p> <ul style="list-style-type: none"> <li>• If Clearing System ID &amp; Member ID are used, CBL recommends using BIC.</li> <li>• If Clearing System ID &amp; Member ID are used, CBL recommends avoiding using Name &amp; Address.</li> </ul> <p>CBL usage: This field contains the institution to which the funds are to be paid in the country of the currency, for account indicated in Creditor Agent:, in favour of the Creditor</p> <p>This field is to be used only if the funds have to be paid through a financial institution in addition to the “For account of” party (indicated in Creditor Agent) and the “In favour of” party (indicated in Creditor).</p> <p>In CBPR+ usage guidelines, the restrictions for Agents Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable.</p> |
|       | 5    |                | Financial Institution Identification | <FinInstnId>  | [1..1]  |                                | Rules: R35   |

| Index | Lv<br>I | Name           | XML Tag                | Mult          | Type / Code  | Rest<br>r                         | Additional details   |
|-------|---------|----------------|------------------------|---------------|--|-----------------------------------|--|
|       | 6       | BICFI          | <BICFI>                | [0..1]        | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |                                   | Comment:<br>CBL recommends using BIC as an identification in any Agent field. The use of name and address only may result in delays in the processing and potential charges. |
|       | 6       | Identification | Clearing System Member | <ClrSysMmbld> | [0..1]   |                                   |  |
|       | 7       | Identification | Clearing System        | <ClrSysId>    | [0..1]   | Choice                            | [1..1]   |
|       | 8       |                | Code                   | <Cd>          | [1..1]   | text{1,5}                         |  |
|       | 7       |                | Member Identification  | <Mmbld>       | [1..1]   | text{1,35}                        | T/C<br>Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ ]+  |
|       | 6       |                | LEI                    | <LEI>         | [0..1]   | text<br>[A-Z0-9]{18,18}[0-9]{2,2} |  |
|       | 6       |                | Name                   | <Nm>          | [0..1]   | text{1,140}                       | T/C<br>Rules: R35<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ !\\$\%&\^=\^`\\{\}\~";>@\{\}\]+   |
|       | 6       |                | Postal Address         | <PstlAdr>     | [0..1]   |                                   | Rules: R35, R36, R37, R38  |
|       | 7       |                | Department             | <Dept>        | [0..1]   | text{1,70}                        | T/C<br>Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ !\\$\%&\^=\^`\\{\}\~";>@\{\}\]+   |
|       | 7       |                | Sub Department         | <SubDept>     | [0..1]   | text{1,70}                        | T/C<br>Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ !\\$\%&\^=\^`\\{\}\~";>@\{\}\]+   |
|       | 7       |                | Street Name            | <StrtNm>      | [0..1]   | text{1,70}                        | T/C<br>Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ !\\$\%&\^=\^`\\{\}\~";>@\{\}\]+   |

| Index | Lv<br>I | Name               | XML Tag     | Mult   | Type / Code | Rest<br>r | Additional details   |
|-------|---------|--------------------|-------------|--------|-------------|-----------|--|
|       | 7       | Building Number    | <BldgNb>    | [0..1] | text{1,16}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Building Name      | <BldgNm>    | [0..1] | text{1,35}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Floor              | <Flr>       | [0..1] | text{1,70}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Post Box           | <PstBx>     | [0..1] | text{1,16}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Room               | <Room>      | [0..1] | text{1,70}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Post Code          | <PstCd>     | [0..1] | text{1,16}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Town Name          | <TwnNm>     | [0..1] | text{1,35}  | T/C       | Rules: R36, R37, R38<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Town Location Name | <TwnLctnNm> | [0..1] | text{1,35}  | T/C       | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |

| Index | Lv I | Name                         | XML Tag          | Mult   | Type / Code                                | Rest r     | Additional details  |
|-------|------|------------------------------|------------------|--------|--|------------|---|
|       | 7    | District Name                | <DstrctNm>       | [0..1] | text{1,35}                                 | T/C        | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ !#\$%&\*=\^`{\}\~";>@\[\]\\]+      |
|       | 7    | Country Sub Division         | <CtrySubDvsn>    | [0..1] | text{1,35}                                 | T/C        | Rules: R37, R38<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ !#\$%&\*=\^`{\}\~";>@\[\]\\]+      |
|       | 7    | Country                      | <Ctry>           | [0..1] | text [A-Z]{2,2}                            |            | Rules: R36, R37, R38  |
|       | 7    | Address Line                 | <AdrLine>        | [0..7] | text{1,70}                                 | [0..3] T/C | Rules: R36, R37, R38<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ !#\$%&\*=\^`{\}\~";>@\[\]\\]+ |
|       | 4    | Intermediary Agent 1 Account | <IntrmyAgt1Acct> | [0..1] |  |            |   |
|       | 5    | Identification               | <Id>             | [1..1] | Choice                                     |            |   |
|       | 6    | IBAN                         | <IBAN>           | [1..1] | text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |            |   |
|       | 6    | Other                        | <Othr>           | [1..1] |  |            |   |
|       | 7    | Identification               | <Id>             | [1..1] | text{1,34}                                 | T/C        | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\?:(\)\.,\+ ]([0-9a-zA-Z\?:(\)\.,\+ ]*([0-9a-zA-Z\?:(\)\.,\+ ]?)*))       |
|       | 7    | Scheme Name                  | <SchmeNm>        | [0..1] | Choice                                     |            |   |
|       | 8    | Code                         | <Cd>             | [1..1] | text{1,4}                                  |            |   |
|       | 8    | Proprietary                  | <Prtry>          | [1..1] | text{1,35}                                 | T/C        | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ ]+   |
|       | 7    | Issuer                       | <Issr>           | [0..1] | text{1,35}                                 | T/C        | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ ]+   |
|       | 5    | Type                         | <Tp>             | [0..1] | Choice                                     |            |   |
|       | 6    | Code                         | <Cd>             | [1..1] | text{1,4}                                  |            |   |

| Index | Lv I | Name            | XML Tag     | Mult   | Type / Code     | Rest r | Additional details   |
|-------|------|-----------------|-------------|--------|-----------------|--------|--|
|       | 6    | Proprietary     | <Prtry>     | [1..1] | text{1,35}      | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 5    | Currency        | <Ccy>       | [0..1] | text [A-Z]{3,3} |        |  |
|       | 5    | Name            | <Nm>        | [0..1] | text{1,70}      | T/C    | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 5    | Proxy           | <Prxy>      | [0..1] |                 |        |  |
|       | 6    | Type            | <Tp>        | [0..1] | Choice          |        |  |
|       | 7    | Code            | <Cd>        | [1..1] | text{1,4}       |        |  |
|       | 7    | Proprietary     | <Prtry>     | [1..1] | text{1,35}      | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 6    | Identification  | <Id>        | [1..1] | text{1,2048}    | T/C    | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ !\\$\%&\*=\^_`{\}\~";<>@\[\]\\]+   |
|       | 4    | Ultimate Debtor | <UltmtDbtr> | [0..1] |                 |        | Rules: R39, R40, R41, R42<br>-----<br>Comment:<br>In CBPR+ usage guidelines, the restrictions for Parties Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable. |
|       | 5    | Name            | <Nm>        | [0..1] | text{1,140}     | T/C    | Rules: R42<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ !\\$\%&\*=\^_`{\}\~";<>@\[\]\\]+  |
|       | 5    | Postal Address  | <PstlAdr>   | [0..1] |                 |        | Rules: R42, R43, R44   |
|       | 6    | Department      | <Dept>      | [0..1] | text{1,70}      | T/C    | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ !\\$\%&\*=\^_`{\}\~";<>@\[\]\\]+  |
|       | 6    | Sub Department  | <SubDept>   | [0..1] | text{1,70}      | T/C    | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ !\\$\%&\*=\^_`{\}\~";<>@\[\]\\]+  |

| Index | Lv<br>I | Name            | XML Tag  | Mult   | Type / Code | Rest<br>r | Additional details  |
|-------|---------|-----------------|----------|--------|-------------|-----------|---|
|       | 6       | Street Name     | <StrtNm> | [0..1] | text{1,70}  | T/C       | Rules: R43, R44<br>-----<br>Comment:<br>StreetName can be used to transport the PO Box if required<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+ |
|       | 6       | Building Number | <BldgNb> | [0..1] | text{1,16}  | T/C       | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Building Name   | <BldgNm> | [0..1] | text{1,35}  | T/C       | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Floor           | <Flr>    | [0..1] | text{1,70}  | T/C       | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Post Box        | <PstBx>  | [0..1] | text{1,16}  | T/C       | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Room            | <Room>   | [0..1] | text{1,70}  | T/C       | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Post Code       | <PstCd>  | [0..1] | text{1,16}  | T/C       | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+  |

| Index | Lv I | Name                        | XML Tag       | Mult   | Type / Code  | Rest r        | Additional details   |
|-------|------|-----------------------------|---------------|--------|--|---------------|--|
|       | 6    | Town Name                   | <TwnNm>       | [0..1] | text{1,35}   | [1..1]<br>T/C | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+ |
|       | 6    | Town Location Name          | <TwnLctnNm>   | [0..1] | text{1,35}   | T/C           | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+ |
|       | 6    | District Name               | <DstrctNm>    | [0..1] | text{1,35}   | T/C           | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+ |
|       | 6    | Country Sub Division        | <CtrySubDvsn> | [0..1] | text{1,35}   | T/C           | Rules: R43, R44<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\[\\\]]+ |
|       | 6    | Country                     | <Ctry>        | [0..1] | text<br>[A-Z]{2,2}   | [1..1]        | Rules: R43, R44  |
|       | 5    | Identification              | <Id>          | [0..1] | Choice   |               |  |
|       | 6    | Organisation Identification | <OrgId>       | [1..1] |  |               |  |
|       | 7    | Any BIC                     | <AnyBIC>      | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |               |  |
|       | 7    | LEI                         | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |               |  |
|       | 7    | Other                       | <Othr>        | [0..*] |  | [0..2]        |  |
|       | 8    | Identification              | <Id>          | [1..1] | text{1,35}   | T/C           | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\ ]+   |
|       | 8    | Scheme Name                 | <SchmeNm>     | [0..1] | Choice   |               |  |
|       | 9    | Code                        | <Cd>          | [1..1] | text{1,4}  |               |  |

| Index | Lv<br>I | Name                    | XML Tag           | Mult   | Type / Code        | Rest<br>r | Additional details   |
|-------|---------|-------------------------|-------------------|--------|--------------------|-----------|--|
|       | 9       | Proprietary             | <Prtry>           | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+  |
|       | 8       | Issuer                  | <Issr>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+  |
|       | 6       | Private Identification  | <PrvtId>          | [1..1] |                    |           |  |
|       | 7       | Date And Place Of Birth | <DtAndPlcOfBirth> | [0..1] |                    |           |  |
|       | 8       | Birth Date              | <BirthDt>         | [1..1] | date               |           |  |
|       | 8       | Province Of Birth       | <PrvcOfBirth>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ !#\$%&\*=^_`{\}\~";<>@\[\]\\]+  |
|       | 8       | City Of Birth           | <CityOfBirth>     | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ !#\$%&\*=^_`{\}\~";<>@\[\]\\]+  |
|       | 8       | Country Of Birth        | <CtryOfBirth>     | [1..1] | text<br>[A-Z]{2,2} |           |  |
|       | 7       | Other                   | <Othr>            | [0..*] |                    | [0..2]    |  |
|       | 8       | Identification          | <Id>              | [1..1] | text{1,35}         | T/C       | Comment:<br>Can be used to transport information such as a passport number<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+   |
|       | 8       | Scheme Name             | <SchmeNm>         | [0..1] | Choice             |           |  |
|       | 9       | Code                    | <Cd>              | [1..1] | text{1,4}          |           |  |
|       | 9       | Proprietary             | <Prtry>           | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+  |
|       | 8       | Issuer                  | <Issr>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+  |
|       | 5       | Country Of Residence    | <CtryOfRes>       | [0..1] | text<br>[A-Z]{2,2} |           | Comment:<br>Country of Residence (where the party physically lives) should be used only if different from PostalAdress/Country (country linked to the owner of the account used for contact purposes). |

| Index | Lv I | Name             | XML Tag    | Mult   | Type / Code | Rest r | Additional details   |
|-------|------|------------------|------------|--------|-------------|--------|--|
|       | 4    | Initiating Party | <InitgPty> | [0..1] |             |        | <p>Rules: R45</p> <p>-----</p> <p>Comment:</p> <p>In CBPR+ usage guidelines, the restrictions for Parties Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable.</p> |
|       | 5    | Name             | <Nm>       | [0..1] | text{1,140} | T/C    | <p>Rules: R45</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,140}<br/>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&amp;\^=\^\`\\{\}\~";&lt;&gt;@\\\]]+</p>   |
|       | 5    | Postal Address   | <PstlAdr>  | [0..1] |             |        | Rules: R45, R46, R47   |
|       | 6    | Department       | <Dept>     | [0..1] | text{1,70}  | T/C    | <p>Rules: R46, R47</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,70}<br/>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&amp;\^=\^\`\\{\}\~";&lt;&gt;@\\\]]+</p>   |
|       | 6    | Sub Department   | <SubDept>  | [0..1] | text{1,70}  | T/C    | <p>Rules: R46, R47</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,70}<br/>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&amp;\^=\^\`\\{\}\~";&lt;&gt;@\\\]]+</p>   |
|       | 6    | Street Name      | <StrtNm>   | [0..1] | text{1,70}  | T/C    | <p>Rules: R46, R47</p> <p>-----</p> <p>Comment:</p> <p>StreetName can be used to transport the PO Box if required</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,70}<br/>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&amp;\^=\^\`\\{\}\~";&lt;&gt;@\\\]]+</p>  |
|       | 6    | Building Number  | <BldgNb>   | [0..1] | text{1,16}  | T/C    | <p>Rules: R46, R47</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,16}<br/>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&amp;\^=\^\`\\{\}\~";&lt;&gt;@\\\]]+</p>   |
|       | 6    | Building Name    | <BldgNm>   | [0..1] | text{1,35}  | T/C    | <p>Rules: R46, R47</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,35}<br/>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&amp;\^=\^\`\\{\}\~";&lt;&gt;@\\\]]+</p>   |

| Index | Lv<br>I | Name                 | XML Tag       | Mult   | Type / Code | Rest<br>r     | Additional details   |
|-------|---------|----------------------|---------------|--------|-------------|---------------|--|
|       | 6       | Floor                | <Flr>         | [0..1] | text{1,70}  | T/C           | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |
|       | 6       | Post Box             | <PstBx>       | [0..1] | text{1,16}  | T/C           | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |
|       | 6       | Room                 | <Room>        | [0..1] | text{1,70}  | T/C           | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |
|       | 6       | Post Code            | <PstCd>       | [0..1] | text{1,16}  | T/C           | Rules: R46, R47<br>-----<br>Comment:<br>It is recommended to add Post Code when available.<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+ |
|       | 6       | Town Name            | <TwnNm>       | [0..1] | text{1,35}  | [1..1]<br>T/C | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |
|       | 6       | Town Location Name   | <TwnLctnNm>   | [0..1] | text{1,35}  | T/C           | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |
|       | 6       | District Name        | <DstrctNm>    | [0..1] | text{1,35}  | T/C           | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |
|       | 6       | Country Sub Division | <CtrySubDvsn> | [0..1] | text{1,35}  | T/C           | Rules: R46, R47<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\#!\$%&\*=\^`\\{\}\~";>@\\\]+  |

| Index | Lv I | Name                        | XML Tag                 | Mult              | Type / Code   | Rest r | Additional details  |
|-------|------|-----------------------------|-------------------------|-------------------|---|--------|---|
|       | 6    | Country                     | <Ctry>                  | [0..1]            | text [A-Z]{2,2}   | [1..1] | Rules: R46, R47   |
|       | 5    | Identification              | <Id>                    | [0..1]            | Choice  |        |   |
|       | 6    | Organisation Identification | <OrgId>                 | [1..1]            |   |        |   |
|       | 7    | Any BIC                     | <AnyBIC>                | [0..1]            | text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |        |   |
|       | 7    | LEI                         | <LEI>                   | [0..1]            | text [A-Z0-9]{18,18}[0-9]{2,2}                                |        |   |
|       | 7    | Other                       | <Othr>                  | [0..*]            |   | [0..2] |   |
|       | 8    | Identification              | <Id>                    | [1..1]            | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+                                     |
|       | 8    | Scheme Name                 | <SchmeNm>               | [0..1]            | Choice  |        |   |
|       | 9    | Code                        | <Cd>                    | [1..1]            | text{1,4}   |        |   |
|       | 9    | Proprietary                 | <Prtry>                 | [1..1]            | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+                                     |
|       | 8    | Issuer                      | <Issr>                  | [0..1]            | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+                                     |
|       | 6    | Private Identification      | <PrvtId>                | [1..1]            |   |        |   |
|       | 7    | Birth                       | Date And Place Of Birth | <DtAndPlcOfBirth> | [0..1]  |        |   |
|       | 8    | Birth Date                  | <BirthDt>               | [1..1]            | date  |        |   |
|       | 8    | Province Of Birth           | <PrvcOfBirth>           | [0..1]            | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ !\#\\$\%&\^=\^_`\\`\\`~";<>@\`\\`\\`]+ |
|       | 8    | City Of Birth               | <CityOfBirth>           | [1..1]            | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ !\#\\$\%&\^=\^_`\\`\\`~";<>@\`\\`\\`]+ |
|       | 8    | Country Of Birth            | <CtryOfBirth>           | [1..1]            | text [A-Z]{2,2}   |        |   |
|       | 7    | Other                       | <Othr>                  | [0..*]            |   | [0..2] | Comment:  |

| Index | Lv<br>I | Name                 | XML Tag     | Mult   | Type / Code        | Rest<br>r | Additional details  |
|-------|---------|----------------------|-------------|--------|--------------------|-----------|---|
|       | 8       | Identification       | <Id>        | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+   |
|       | 8       | Scheme Name          | <SchmeNm>   | [0..1] | Choice             |           |   |
|       | 9       | Code                 | <Cd>        | [1..1] | text{1,4}          |           |   |
|       | 9       | Proprietary          | <Prtry>     | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+   |
|       | 8       | Issuer               | <Issr>      | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ ]+   |
|       | 5       | Country Of Residence | <CtryOfRes> | [0..1] | text<br>[A-Z]{2,2} |           | Comment:<br>Country of Residence (where the party physically lives) should be used only if different from PostalAdress/Country (country linked to the owner of the account used for contact purposes).  |
|       | 4       | Debtor               | <Dbtr>      | [1..1] |                    |           | Rules: R48, R49, R50, R51, R52, R53, R54<br>-----<br>Comment:<br>In CBPR+ usage guidelines, the restrictions for Parties Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable. |
|       | 5       | Name                 | <Nm>        | [0..1] | text{1,140}        | T/C       | Rules: R52, R53<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ !\\$\%&\^=\^`\\~";>@\\\]+   |
|       | 5       | Postal Address       | <PstlAdr>   | [0..1] |                    |           | Rules: R53, R55, R56, R57<br>-----<br>Comment:<br>If Postal address is used, it is recommended to add Post Code when available.   |
|       | 6       | Department           | <Dept>      | [0..1] | text{1,70}         | T/C       | Rules: R56, R57<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:\(\)\.,\+\ !\\$\%&\^=\^`\\~";>@\\\]+  |

| Index | Lv<br>I | Name            | XML Tag   | Mult   | Type / Code | Rest<br>r | Additional details  |
|-------|---------|-----------------|-----------|--------|-------------|-----------|---|
|       | 6       | Sub Department  | <SubDept> | [0..1] | text{1,70}  | T/C       | Rules: R56, R57<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+   |
|       | 6       | Street Name     | <StrtNm>  | [0..1] | text{1,70}  | T/C       | Rules: R56, R57<br>-----<br>Comment:<br>StreetName can be used to transport the PO Box if required<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+                    |
|       | 6       | Building Number | <BldgNb>  | [0..1] | text{1,16}  | T/C       | Rules: R56, R57<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+   |
|       | 6       | Building Name   | <BldgNm>  | [0..1] | text{1,35}  | T/C       | Rules: R56, R57<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+   |
|       | 6       | Floor           | <Flr>     | [0..1] | text{1,70}  | T/C       | Rules: R56, R57<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+   |
|       | 6       | Post Box        | <PstBx>   | [0..1] | text{1,16}  | T/C       | Rules: R56, R57<br>-----<br>Comment:<br>If Postal address is used, it is recommended to add Post Code when available.<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+ |
|       | 6       | Room            | <Room>    | [0..1] | text{1,70}  | T/C       | Rules: R56, R57<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+   |

| Index | Lv<br>I | Name                        | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details   |
|-------|---------|-----------------------------|---------------|--------|--------------------|---------------|--|
|       | 6       | Post Code                   | <PstCd>       | [0..1] | text{1,16}         | T/C           | <p>Rules: R56, R57</p> <p>-----</p> <p>Comment:</p> <p>If Structured Postal Address is used (that is if Address Line is absent), it is recommended to add Post Code when available.</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,16}</p> <p>[0-9a-zA-Z\-\?\!:\(\)\.\,\+\#!\$%\&amp;\*=\^`\\{\}\~";&gt;@\\\]]+</p> |
|       | 6       | Town Name                   | <TwnNm>       | [0..1] | text{1,35}         | T/C           | <p>Rules: R55, R56, R57</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,35}</p> <p>[0-9a-zA-Z\-\?\!:\(\)\.\,\+\#!\$%\&amp;\*=\^`\\{\}\~";&gt;@\\\]]+</p>   |
|       | 6       | Town Location Name          | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | <p>Rules: R56, R57</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,35}</p> <p>[0-9a-zA-Z\-\?\!:\(\)\.\,\+\#!\$%\&amp;\*=\^`\\{\}\~";&gt;@\\\]]+</p>  |
|       | 6       | District Name               | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | <p>Rules: R56, R57</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,35}</p> <p>[0-9a-zA-Z\-\?\!:\(\)\.\,\+\#!\$%\&amp;\*=\^`\\{\}\~";&gt;@\\\]]+</p>  |
|       | 6       | Country Sub Division        | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | <p>Rules: R56, R57</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,35}</p> <p>[0-9a-zA-Z\-\?\!:\(\)\.\,\+\#!\$%\&amp;\*=\^`\\{\}\~";&gt;@\\\]]+</p>  |
|       | 6       | Country                     | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} |               | Rules: R55, R56, R57   |
|       | 6       | Address Line                | <AdrLine>     | [0..7] | text{1,70}         | [0..3]<br>T/C | <p>Rules: R55, R56, R57</p> <p>-----</p> <p>Type Changed:</p> <p>text{1,35}</p> <p>[0-9a-zA-Z\-\?\!:\(\)\.\,\+\#!\$%\&amp;\*=\^`\\{\}\~";&gt;@\\\]]+</p>   |
|       | 5       | Identification              | <Id>          | [0..1] | Choice             |               |  |
|       | 6       | Organisation Identification | <OrgId>       | [1..1] |                    |               |  |

| Index | Lv I | Name                   | XML Tag                 | Mult               | Type / Code   | Rest r | Additional details  |
|-------|------|------------------------|-------------------------|--------------------|---|--------|---|
|       | 7    | Any BIC                | <AnyBIC>                | [0..1]             | text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |        | Rules: R52  |
|       | 7    | LEI                    | <LEI>                   | [0..1]             | text [A-Z0-9]{18,18}[0-9]{2,2}                                |        |   |
|       | 7    | Other                  | <Othr>                  | [0..*]             |   | [0..2] |   |
|       | 8    | Identification         | <Id>                    | [1..1]             | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+                         |
|       | 8    | Scheme Name            | <SchmeNm>               | [0..1]             | Choice  | [1..1] |   |
|       | 9    | Code                   | <Cd>                    | [1..1]             | text{1,4}   |        |   |
|       | 8    | Issuer                 | <Issr>                  | [0..1]             | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+                         |
|       | 6    | Private Identification | <PrvtId>                | [1..1]             |   |        |   |
|       | 7    | Birth                  | Date And Place Of Birth | <DtAndPlcOfBirt h> | [0..1]  |        |   |
|       | 8    | Birth Date             | <BirthDt>               | [1..1]             | date  |        |   |
|       | 8    | Province Of Birth      | <PrvcOfBirth>           | [0..1]             | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ !\\$\%&\^=\^`\\~";<>@\\\]+ |
|       | 8    | City Of Birth          | <CityOfBirth>           | [1..1]             | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ !\\$\%&\^=\^`\\~";<>@\\\]+ |
|       | 8    | Country Of Birth       | <CtryOfBirth>           | [1..1]             | text [A-Z]{2,2}   |        |   |
|       | 7    | Other                  | <Othr>                  | [0..*]             |   | [0..2] |   |
|       | 8    | Identification         | <Id>                    | [1..1]             | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+                         |
|       | 8    | Scheme Name            | <SchmeNm>               | [0..1]             | Choice  | [1..1] |   |
|       | 9    | Code                   | <Cd>                    | [1..1]             | text{1,4}   |        |   |
|       | 8    | Issuer                 | <Issr>                  | [0..1]             | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+                         |

| Index | Lv I | Name                 | XML Tag     | Mult   | Type / Code                                | Rest r | Additional details   |
|-------|------|----------------------|-------------|--------|--|--------|--|
|       | 5    | Country Of Residence | <CtryOfRes> | [0..1] | text [A-Z]{2,2}                            |        | Comment:<br>Country of Residence (where the party physically lives) should be used only if different from PostalAdress/Country (country linked to the owner of the account used for contact purposes). |
|       | 4    | Debtor Account       | <DbtrAcct>  | [0..1] |  |        |  |
|       | 5    | Identification       | <Id>        | [1..1] | Choice                                     |        |  |
|       | 6    | IBAN                 | <IBAN>      | [1..1] | text [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |        |  |
|       | 6    | Other                | <Othr>      | [1..1] |  |        |  |
|       | 7    | Identification       | <Id>        | [1..1] | text{1,34}                                 | T/C    | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\?:(\()\.,\+\ ])([0-9a-zA-Z\-\?:(\()\.,\+\ ]*)([0-9a-zA-Z\-\?:(\()\.,\+\ ])?)*   |
|       | 7    | Scheme Name          | <SchmeNm>   | [0..1] | Choice                                     |        |  |
|       | 8    | Code                 | <Cd>        | [1..1] | text{1,4}                                  |        |  |
|       | 8    | Proprietary          | <Prtry>     | [1..1] | text{1,35}                                 | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 7    | Issuer               | <Issr>      | [0..1] | text{1,35}                                 | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 5    | Type                 | <Tp>        | [0..1] | Choice                                     |        |  |
|       | 6    | Code                 | <Cd>        | [1..1] | text{1,4}                                  |        |  |
|       | 6    | Proprietary          | <Prtry>     | [1..1] | text{1,35}                                 | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 5    | Currency             | <Ccy>       | [0..1] | text [A-Z]{3,3}                            |        |  |
|       | 5    | Name                 | <Nm>        | [0..1] | text{1,70}                                 | T/C    | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\ ]+  |
|       | 5    | Proxy                | <Prxy>      | [0..1] |  |        |  |
|       | 6    | Type                 | <Tp>        | [0..1] | Choice                                     |        |  |
|       | 7    | Code                 | <Cd>        | [1..1] | text{1,4}                                  |        |  |

| Index | Lv I | Name                                  | XML Tag       | Mult   | Type / Code  | Rest r | Additional details   |
|-------|------|---------------------------------------|---------------|--------|--|--------|--|
|       | 7    | Proprietary                           | <Prtry>       | [1..1] | text{1,35}   | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+  |
|       | 6    | Identification                        | <Id>          | [1..1] | text{1,2048}   | T/C    | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?:(\)\.,\+ !#\$%&\*=\^`\\~";<>@\[\]\\]+   |
|       | 4    | Debtor Agent                          | <DbtrAgt>     | [1..1] |  |        | Rules: R27, R28, R29, R30, R31<br>-----<br>Comment:<br>In CBPR+ usage guidelines, the restrictions for Agents Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable.<br><br>CBL recommends using BIC as an identification in any Agent field. The use of name and address only may result in delays in the processing and potential charges. |
|       | 5    | Financial Institution Identification  | <FinInstnId>  | [1..1] |  |        | Rules: R58   |
|       | 6    | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}[A-Z0-9]{3,3}{0,1} |        | Comment:<br>CBL recommends using BIC as an identification in any Agent field. The use of name and address only may result in delays in the processing and potential charges.   |
|       | 6    | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |  |        |  |
|       | 7    | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice   | [1..1] |  |
|       | 8    | Code                                  | <Cd>          | [1..1] | text{1,5}  |        |  |
|       | 7    | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}   | T/C    | Type Changed:<br>text{1,28}<br>[0-9a-zA-Z\-\?:(\)\.,\+ ]+  |
|       | 6    | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                              |        |  |

| Index | Lv<br>I | Name            | XML Tag   | Mult   | Type / Code | Rest<br>r | Additional details   |
|-------|---------|-----------------|-----------|--------|-------------|-----------|--|
|       | 6       | Name            | <Nm>      | [0..1] | text{1,140} | T/C       | Rules: R58<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+     |
|       | 6       | Postal Address  | <PstlAdr> | [0..1] |             |           | Rules: R58, R59, R60, R61  |
|       | 7       | Department      | <Dept>    | [0..1] | text{1,70}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Sub Department  | <SubDept> | [0..1] | text{1,70}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Street Name     | <StrtNm>  | [0..1] | text{1,70}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Building Number | <BldgNb>  | [0..1] | text{1,16}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Building Name   | <BldgNm>  | [0..1] | text{1,35}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Floor           | <Flr>     | [0..1] | text{1,70}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Post Box        | <PstBx>   | [0..1] | text{1,16}  | T/C       | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |

| Index | Lv<br>I | Name                 | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details   |
|-------|---------|----------------------|---------------|--------|--------------------|---------------|--|
|       | 7       | Room                 | <Room>        | [0..1] | text{1,70}         | T/C           | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Post Code            | <PstCd>       | [0..1] | text{1,16}         | T/C           | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Town Name            | <TwnNm>       | [0..1] | text{1,35}         | T/C           | Rules: R59, R60, R61<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Town Location Name   | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | District Name        | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Country Sub Division | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Rules: R60, R61<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+      |
|       | 7       | Country              | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} |               | Rules: R59, R60, R61   |
|       | 7       | Address Line         | <AdrLine>     | [0..7] | text{1,70}         | [0..3]<br>T/C | Rules: R59, R60, R61<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 4       | Debtor Agent Account | <DbtrAgtAcct> | [0..1] |                    |               |  |
|       | 5       | Identification       | <Id>          | [1..1] | Choice             |               |  |

| Index | Lv I | Name           | XML Tag   | Mult   | Type / Code                                   | Rest r | Additional details   |
|-------|------|----------------|-----------|--------|---|--------|--|
|       | 6    | IBAN           | <IBAN>    | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |        |  |
|       | 6    | Other          | <Othr>    | [1..1] |   |        |  |
|       | 7    | Identification | <Id>      | [1..1] | text{1,34}                                    | T/C    | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z-\\?:(\\)\\.\\+ ])([0-9a-zA-Z-\\?:(\\)\\.\\+ ]*)<br>([0-9a-zA-Z-\\?:(\\)\\.\\+ ])?)* |
|       | 7    | Scheme Name    | <SchmeNm> | [0..1] | Choice  |        |  |
|       | 8    | Code           | <Cd>      | [1..1] | text{1,4}                                     |        |  |
|       | 8    | Proprietary    | <Prtry>   | [1..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.\\+ ]+  |
|       | 7    | Issuer         | <Issr>    | [0..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.\\+ ]+  |
|       | 5    | Type           | <Tp>      | [0..1] | Choice  |        |  |
|       | 6    | Code           | <Cd>      | [1..1] | text{1,4}                                     |        |  |
|       | 6    | Proprietary    | <Prtry>   | [1..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.\\+ ]+  |
|       | 5    | Currency       | <Ccy>     | [0..1] | text<br>[A-Z]{3,3}                            |        |  |
|       | 5    | Name           | <Nm>      | [0..1] | text{1,70}                                    | T/C    | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z-\\?:(\\)\\.\\+ ]+  |
|       | 5    | Proxy          | <Prxy>    | [0..1] |   |        |  |
|       | 6    | Type           | <Tp>      | [0..1] | Choice  |        |  |
|       | 7    | Code           | <Cd>      | [1..1] | text{1,4}                                     |        |  |
|       | 7    | Proprietary    | <Prtry>   | [1..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.\\+ ]+  |
|       | 6    | Identification | <Id>      | [1..1] | text{1,2048}                                  | T/C    | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z-\\?:(\\)\\.\\+ !#\$%&\\^=^`\\{\\}\\~\";\\>@\\{\\}\\]+                               |

| Index | Lv I | Name                                  | XML Tag       | Mult   | Type / Code  | Rest r | Additional details   |
|-------|------|---------------------------------------|---------------|--------|--|--------|--|
|       | 4    | Creditor Agent                        | <CdtrAgt>     | [1..1] |  |        | <p>Rules: R27, R28, R29, R30, R62</p> <p>-----</p> <p>Comment:</p> <p>CBL recommendation:</p> <ul style="list-style-type: none"> <li>• If Clearing System ID &amp; Member ID are used, CBL recommends using BIC.</li> <li>• If Clearing System ID &amp; Member ID are used, CBL recommends avoiding using Name &amp; Address.</li> </ul> <p>CBL usage: This field contains the institution to which the funds have to be paid, for the account of the indicated in the Creditor field: . If the Intermediary Agent 1 field is not used, this institution should normally be in the country of the currency.</p> <p>In CBPR+ usage guidelines, the restrictions for Agents Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable.</p> |
|       | 5    | Financial Institution Identification  | <FinInstnId>  | [1..1] |  |        | Rules: R63   |
|       | 6    | BICFI                                 | <BICFI>       | [0..1] | text<br>[A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |        | <p>Comment:</p> <p>CBL recommends using BIC as an identification in any Agent field. The use of name and address only may result in delays in the processing and potential charges.</p>  |
|       | 6    | Clearing System Member Identification | <ClrSysMmbld> | [0..1] |  |        |  |
|       | 7    | Clearing System Identification        | <ClrSysId>    | [0..1] | Choice   | [1..1] |  |
|       | 8    | Code                                  | <Cd>          | [1..1] | text{1,5}  |        |  |
|       | 7    | Member Identification                 | <Mmbld>       | [1..1] | text{1,35}   | T/C    | <p>Type Changed:</p> <p>text{1,28}</p> <p>[0-9a-zA-Z/\-\\?\\:\\\\\\+ ]+</p>  |
|       | 6    | LEI                                   | <LEI>         | [0..1] | text<br>[A-Z0-9]{18,18}[0-9]{2,2}                                |        |  |

| Index | Lv<br>I | Name            | XML Tag   | Mult   | Type / Code | Rest<br>r | Additional details  |
|-------|---------|-----------------|-----------|--------|-------------|-----------|---|
|       | 6       | Name            | <Nm>      | [0..1] | text{1,140} | T/C       | Rules: R63<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+     |
|       | 6       | Postal Address  | <PstlAdr> | [0..1] |             |           | Rules: R63, R64, R65, R66   |
|       | 7       | Department      | <Dept>    | [0..1] | text{1,70}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Sub Department  | <SubDept> | [0..1] | text{1,70}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Street Name     | <StrtNm>  | [0..1] | text{1,70}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Building Number | <BldgNb>  | [0..1] | text{1,16}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Building Name   | <BldgNm>  | [0..1] | text{1,35}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Floor           | <Flr>     | [0..1] | text{1,70}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 7       | Post Box        | <PstBx>   | [0..1] | text{1,16}  | T/C       | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |

| Index | Lv<br>I | Name                  | XML Tag       | Mult   | Type / Code        | Rest<br>r     | Additional details  |
|-------|---------|-----------------------|---------------|--------|--------------------|---------------|---|
|       | 7       | Room                  | <Room>        | [0..1] | text{1,70}         | T/C           | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+   |
|       | 7       | Post Code             | <PstCd>       | [0..1] | text{1,16}         | T/C           | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+   |
|       | 7       | Town Name             | <TwnNm>       | [0..1] | text{1,35}         | T/C           | Rules: R64, R65, R66<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+  |
|       | 7       | Town Location Name    | <TwnLctnNm>   | [0..1] | text{1,35}         | T/C           | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+   |
|       | 7       | District Name         | <DstrctNm>    | [0..1] | text{1,35}         | T/C           | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+   |
|       | 7       | Country Sub Division  | <CtrySubDvsn> | [0..1] | text{1,35}         | T/C           | Rules: R65, R66<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+   |
|       | 7       | Country               | <Ctry>        | [0..1] | text<br>[A-Z]{2,2} |               | Rules: R64, R65, R66  |
|       | 7       | Address Line          | <AdrLine>     | [0..7] | text{1,70}         | [0..3]<br>T/C | Rules: R64, R65, R66<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+  |
|       | 5       | Branch Identification | <BrnchId>     | [0..1] |                    |               | Comment:<br>Only allowed when Creditor Agent is located in Japan<br>to identify the account that must be credited.<br><br>The information can be disregarded by other agents in<br>the chain and no network validation will be conducted. |

| Index | Lv<br>I | Name                   | XML Tag       | Mult   | Type / Code                                   | Rest<br>r | Additional details  |
|-------|---------|------------------------|---------------|--------|---|-----------|---|
|       | 6       | Identification         | <Id>          | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 4       | Creditor Agent Account | <CdtrAgtAcct> | [0..1] |   |           |   |
|       | 5       | Identification         | <Id>          | [1..1] | Choice  |           |   |
|       | 6       | IBAN                   | <IBAN>        | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |           |   |
|       | 6       | Other                  | <Othr>        | [1..1] |   |           |   |
|       | 7       | Identification         | <Id>          | [1..1] | text{1,34}                                    | T/C       | Type Changed:<br>text{1,34}<br>([0-9a-zA-Z\-\?:\(\)\.,\+ ]([0-9a-zA-Z\-\?:\(\)\.,\+ ]*)*([0-9a-zA-Z\-\?:\(\)\.,\+ ]?)*) |
|       | 7       | Scheme Name            | <SchmeNm>     | [0..1] | Choice  |           |   |
|       | 8       | Code                   | <Cd>          | [1..1] | text{1,4}                                     |           |   |
|       | 8       | Proprietary            | <Prtry>       | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 7       | Issuer                 | <Issr>        | [0..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 5       | Type                   | <Tp>          | [0..1] | Choice  |           |   |
|       | 6       | Code                   | <Cd>          | [1..1] | text{1,4}                                     |           |   |
|       | 6       | Proprietary            | <Prtry>       | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 5       | Currency               | <Ccy>         | [0..1] | text<br>[A-Z]{3,3}                            |           |   |
|       | 5       | Name                   | <Nm>          | [0..1] | text{1,70}                                    | T/C       | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 5       | Proxy                  | <Prxy>        | [0..1] |   |           |   |
|       | 6       | Type                   | <Tp>          | [0..1] | Choice  |           |   |
|       | 7       | Code                   | <Cd>          | [1..1] | text{1,4}                                     |           |   |
|       | 7       | Proprietary            | <Prtry>       | [1..1] | text{1,35}                                    | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |

| Index | Lv<br>I | Name           | XML Tag   | Mult   | Type / Code  | Rest<br>r | Additional details   |
|-------|---------|----------------|-----------|--------|--------------|-----------|--|
|       | 6       | Identification | <Id>      | [1..1] | text{1,2048} | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+   |
|       | 4       | Creditor       | <Cdtr>    | [1..1] |              |           | Rules: R67, R49, R68, R69, R70, R71, R72<br>-----<br>Comment:<br>CBL recommendation: <ul style="list-style-type: none"><li>• If Clearing System ID &amp; Member ID are used, CBL recommends using BIC.</li><li>• If Clearing System ID &amp; Member ID are used, CBL recommends avoiding using Name &amp; Address.</li></ul><br>In CBPR+ usage guidelines, the restrictions for Parties Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable. |
|       | 5       | Name           | <Nm>      | [0..1] | text{1,140}  | T/C       | Rules: R67, R71<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+   |
|       | 5       | Postal Address | <PstlAdr> | [0..1] |              |           | Rules: R71, R73, R74, R75  |
|       | 6       | Department     | <Dept>    | [0..1] | text{1,70}   | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+  |
|       | 6       | Sub Department | <SubDept> | [0..1] | text{1,70}   | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+  |
|       | 6       | Street Name    | <StrtNm>  | [0..1] | text{1,70}   | T/C       | Rules: R74, R75<br>-----<br>Comment:<br>StreetName can be used to transport the PO Box if required<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+   |

| Index | Lv<br>I | Name            | XML Tag  | Mult   | Type / Code | Rest<br>r | Additional details   |
|-------|---------|-----------------|----------|--------|-------------|-----------|--|
|       | 6       | Building Number | <BldgNb> | [0..1] | text{1,16}  | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Building Name   | <BldgNm> | [0..1] | text{1,35}  | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Floor           | <Flr>    | [0..1] | text{1,70}  | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Post Box        | <PstBx>  | [0..1] | text{1,16}  | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Room            | <Room>   | [0..1] | text{1,70}  | T/C       | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+  |
|       | 6       | Post Code       | <PstCd>  | [0..1] | text{1,16}  | T/C       | Rules: R74, R75<br>-----<br>Comment:<br>If Structured Postal Address is used (that is if Address Line is absent), it is recommended to add Post Code when available.<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+ |
|       | 6       | Town Name       | <TwnNm>  | [0..1] | text{1,35}  | T/C       | Rules: R73, R74, R75<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\[\\\]]+   |

| Index | Lv I | Name                        | XML Tag       | Mult   | Type / Code   | Rest r     | Additional details  |
|-------|------|-----------------------------|---------------|--------|---|------------|---|
|       | 6    | Town Location Name          | <TwnLctnNm>   | [0..1] | text{1,35}  | T/C        | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+      |
|       | 6    | District Name               | <DstrctNm>    | [0..1] | text{1,35}  | T/C        | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+      |
|       | 6    | Country Sub Division        | <CtrySubDvsn> | [0..1] | text{1,35}  | T/C        | Rules: R74, R75<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+      |
|       | 6    | Country                     | <Ctry>        | [0..1] | text [A-Z]{2,2}   |            | Rules: R73, R74, R75  |
|       | 6    | Address Line                | <AdrLine>     | [0..7] | text{1,70}  | [0..3] T/C | Rules: R73, R74, R75<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]]+ |
|       | 5    | Identification              | <Id>          | [0..1] | Choice  |            |   |
|       | 6    | Organisation Identification | <OrgId>       | [1..1] |   |            |   |
|       | 7    | Any BIC                     | <AnyBIC>      | [0..1] | text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |            | Rules: R67  |
|       | 7    | LEI                         | <LEI>         | [0..1] | text [A-Z0-9]{18,18}[0-9]{2,2}                                |            |   |
|       | 7    | Other                       | <Othr>        | [0..*] |   | [0..2]     |   |
|       | 8    | Identification              | <Id>          | [1..1] | text{1,35}  | T/C        | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\ ]+  |
|       | 8    | Scheme Name                 | <SchmeNm>     | [0..1] | Choice  |            |   |
|       | 9    | Code                        | <Cd>          | [1..1] | text{1,4}   |            |   |

| Index | Lv<br>I | Name                    | XML Tag           | Mult   | Type / Code        | Rest<br>r | Additional details   |
|-------|---------|-------------------------|-------------------|--------|--------------------|-----------|--|
|       | 9       | Proprietary             | <Prtry>           | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+   |
|       | 8       | Issuer                  | <Issr>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+   |
|       | 6       | Private Identification  | <PrvId>           | [1..1] |                    |           |  |
|       | 7       | Date And Place Of Birth | <DtAndPlcOfBirth> | [0..1] |                    |           |  |
|       | 8       | Birth Date              | <BirthDt>         | [1..1] | date               |           |  |
|       | 8       | Province Of Birth       | <PrvcOfBirth>     | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ !#\$%&\*=^_`\\~";<>@\[\]\\]+   |
|       | 8       | City Of Birth           | <CityOfBirth>     | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ !#\$%&\*=^_`\\~";<>@\[\]\\]+   |
|       | 8       | Country Of Birth        | <CtryOfBirth>     | [1..1] | text<br>[A-Z]{2,2} |           |  |
|       | 7       | Other                   | <Othr>            | [0..*] |                    | [0..2]    |  |
|       | 8       | Identification          | <Id>              | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+   |
|       | 8       | Scheme Name             | <SchmeNm>         | [0..1] | Choice             |           |  |
|       | 9       | Code                    | <Cd>              | [1..1] | text{1,4}          |           |  |
|       | 9       | Proprietary             | <Prtry>           | [1..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+   |
|       | 8       | Issuer                  | <Issr>            | [0..1] | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.,\+ ]+   |
|       | 5       | Country Of Residence    | <CtryOfRes>       | [0..1] | text<br>[A-Z]{2,2} |           | Comment:<br>Country of Residence (where the party physically lives) should be used only if different from PostalAdress/Country (country linked to the owner of the account used for contact purposes). |
|       | 4       | Creditor Account        | <CdtrAcct>        | [0..1] |                    |           |  |
|       | 5       | Identification          | <Id>              | [1..1] | Choice             |           |  |

| Index | Lv I | Name           | XML Tag   | Mult   | Type / Code                                   | Rest r | Additional details  |
|-------|------|----------------|-----------|--------|---|--------|---|
|       | 6    | IBAN           | <IBAN>    | [1..1] | text<br>[A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30} |        |   |
|       | 6    | Other          | <Othr>    | [1..1] |   |        |   |
|       | 7    | Identification | <Id>      | [1..1] | text{1,34}                                    | T/C    | Comment:<br>CBL recommends populating the account in the identification in the Creditor field to ensure the requirements on payer and payee identification in the Funds Transfers Regulation.<br>-----<br>Type Changed:<br>text{1,34}<br>([0-9a-zA-Z-\\?:(\\)\\.,\\+ ]([0-9a-zA-Z-\\?:(\\)\\.,\\+ ]*([0-9a-zA-Z-\\?:(\\)\\.,\\+ ]?)*) |
|       | 7    | Scheme Name    | <SchmeNm> | [0..1] | Choice  |        |   |
|       | 8    | Code           | <Cd>      | [1..1] | text{1,4}                                     |        |   |
|       | 8    | Proprietary    | <Prtry>   | [1..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.,\\+ ]+  |
|       | 7    | Issuer         | <Issr>    | [0..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.,\\+ ]+  |
|       | 5    | Type           | <Tp>      | [0..1] | Choice  |        |   |
|       | 6    | Code           | <Cd>      | [1..1] | text{1,4}                                     |        |   |
|       | 6    | Proprietary    | <Prtry>   | [1..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.,\\+ ]+  |
|       | 5    | Currency       | <Ccy>     | [0..1] | text<br>[A-Z]{3,3}                            |        |   |
|       | 5    | Name           | <Nm>      | [0..1] | text{1,70}                                    | T/C    | Type Changed:<br>text{1,70}<br>[0-9a-zA-Z-\\?:(\\)\\.,\\+ ]+  |
|       | 5    | Proxy          | <Prxy>    | [0..1] |   |        |   |
|       | 6    | Type           | <Tp>      | [0..1] | Choice  |        |   |
|       | 7    | Code           | <Cd>      | [1..1] | text{1,4}                                     |        |   |
|       | 7    | Proprietary    | <Prtry>   | [1..1] | text{1,35}                                    | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z-\\?:(\\)\\.,\\+ ]+  |

| Index | Lv<br>I | Name              | XML Tag     | Mult   | Type / Code  | Rest<br>r | Additional details  |
|-------|---------|-------------------|-------------|--------|--------------|-----------|---|
|       | 6       | Identification    | <Id>        | [1..1] | text{1,2048} | T/C       | Type Changed:<br>text{1,320}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";<>@\\\]]+   |
|       | 4       | Ultimate Creditor | <UltmtCdtr> | [0..1] |              |           | Rules: R76, R77, R78<br>-----<br>Comment:<br>In CBPR+ usage guidelines, the restrictions for Parties Identification are stricter than in HVPS+ Usage guidelines. It is the responsibility of the banks to make sure they comply with the restrictions defined for the many-to-many space (CBPR+) when applicable. |
|       | 5       | Name              | <Nm>        | [0..1] | text{1,140}  | T/C       | Rules: R78<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";<>@\\\]]+  |
|       | 5       | Postal Address    | <PstlAdr>   | [0..1] |              |           | Rules: R78, R79, R80  |
|       | 6       | Department        | <Dept>      | [0..1] | text{1,70}   | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";<>@\\\]]+  |
|       | 6       | Sub Department    | <SubDept>   | [0..1] | text{1,70}   | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";<>@\\\]]+  |
|       | 6       | Street Name       | <StrtNm>    | [0..1] | text{1,70}   | T/C       | Rules: R79, R80<br>-----<br>Comment:<br>StreetName can be used to transport the PO Box if required<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";<>@\\\]]+   |
|       | 6       | Building Number   | <BldgNb>    | [0..1] | text{1,16}   | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";<>@\\\]]+  |

| Index | Lv<br>I | Name               | XML Tag     | Mult   | Type / Code | Rest<br>r | Additional details   |
|-------|---------|--------------------|-------------|--------|-------------|-----------|--|
|       | 6       | Building Name      | <BldgNm>    | [0..1] | text{1,35}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |
|       | 6       | Floor              | <Flr>       | [0..1] | text{1,70}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |
|       | 6       | Post Box           | <PstBx>     | [0..1] | text{1,16}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |
|       | 6       | Room               | <Room>      | [0..1] | text{1,70}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |
|       | 6       | Post Code          | <PstCd>     | [0..1] | text{1,16}  | T/C       | Rules: R79, R80<br>-----<br>Comment:<br>It is recommended to add Post Code when available.<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+ |
|       | 6       | Town Name          | <TwnNm>     | [0..1] | text{1,35}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |
|       | 6       | Town Location Name | <TwnLctnNm> | [0..1] | text{1,35}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |
|       | 6       | District Name      | <DstrctNm>  | [0..1] | text{1,35}  | T/C       | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\`+\#!\$%&\*=^_`\\{\}\\~";>@\\{\}\\]+  |

| Index | Lv I | Name                        | XML Tag           | Mult   | Type / Code   | Rest r | Additional details  |
|-------|------|-----------------------------|-------------------|--------|---|--------|---|
|       | 6    | Country Sub Division        | <CtrySubDvsn>     | [0..1] | text{1,35}  | T/C    | Rules: R79, R80<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\!\\$\%&\*=\^\`\\{\}\~";>@\\\]+ |
|       | 6    | Country                     | <Ctry>            | [0..1] | text [A-Z]{2,2}   | [1..1] | Rules: R79, R80   |
|       | 5    | Identification              | <Id>              | [0..1] | Choice  |        |   |
|       | 6    | Organisation Identification | <OrgId>           | [1..1] |   |        |   |
|       | 7    | Any BIC                     | <AnyBIC>          | [0..1] | text [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1} |        |   |
|       | 7    | LEI                         | <LEI>             | [0..1] | text [A-Z0-9]{18,18}[0-9]{2,2}                                |        |   |
|       | 7    | Other                       | <Othr>            | [0..*] |   | [0..2] |   |
|       | 8    | Identification              | <Id>              | [1..1] | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ ]+  |
|       | 8    | Scheme Name                 | <SchmeNm>         | [0..1] | Choice  |        |   |
|       | 9    | Code                        | <Cd>              | [1..1] | text{1,4}   |        |   |
|       | 9    | Proprietary                 | <Prtry>           | [1..1] | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ ]+  |
|       | 8    | Issuer                      | <Issr>            | [0..1] | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\ ]+  |
|       | 6    | Private Identification      | <PrvtId>          | [1..1] |   |        |   |
|       | 7    | Date And Place Of Birth     | <DtAndPlcOfBirth> | [0..1] |   |        |   |
|       | 8    | Birth Date                  | <BirthDt>         | [1..1] | date  |        |   |
|       | 8    | Province Of Birth           | <PrvcOfBirth>     | [0..1] | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\!\\$\%&\*=\^\`\\{\}\~";>@\\\]+                             |
|       | 8    | City Of Birth               | <CityOfBirth>     | [1..1] | text{1,35}  | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:(\()\.\,\+\!\\$\%&\*=\^\`\\{\}\~";>@\\\]+                             |

| Index | Lv I | Name                           | XML Tag           | Mult   | Type / Code     | Rest r | Additional details  |
|-------|------|--------------------------------|-------------------|--------|-----------------|--------|---|
|       | 8    | Country Of Birth               | <CtryOfBirth>     | [1..1] | text [A-Z]{2,2} |        |   |
|       | 7    | Other                          | <Othr>            | [0..*] |                 | [0..2] |   |
|       | 8    | Identification                 | <Id>              | [1..1] | text{1,35}      | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 8    | Scheme Name                    | <SchmeNm>         | [0..1] | Choice          |        |   |
|       | 9    | Code                           | <Cd>              | [1..1] | text{1,4}       |        |   |
|       | 9    | Proprietary                    | <Prtry>           | [1..1] | text{1,35}      | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 8    | Issuer                         | <Issr>            | [0..1] | text{1,35}      | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+  |
|       | 5    | Country Of Residence           | <CtryOfRes>       | [0..1] | text [A-Z]{2,2} |        | Comment:<br>Country of Residence (where the party physically lives) should be used only if different from PostalAdress/Country (country linked to the owner of the account used for contact purposes).  |
|       | 4    | Instruction For Creditor Agent | <InstrForCdtrAgt> | [0..*] |                 | [0..2] | Comment:<br>NOTE: to support both MT MX reporting over the co-existence period, CBL will limit the information received through pacs.008 instructions by allowing a maximum of 140 characters between the following fields:<br>- InstructionForCreditorAgent<br>- InstructionForNextAgent |
|       | 5    | Code                           | <Cd>              | [0..1] | text            |        | Rules: R18  |
|       | 6    | Pay Creditor By Cheque         |                   |        | CHQB            |        | Rules: R13  |
|       | 6    | Hold Cash For Creditor         |                   |        | HOLD            |        | Rules: R13  |
|       | 6    | Phone Beneficiary              |                   |        | PHOB            |        | Rules: R14  |
|       | 6    | Telecom                        |                   |        | TELB            |        | Rules: R14  |
|       | 5    | Instruction Information        | <Instrlnf>        | [0..1] | text{1,140}     | T/C    | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?:\(\)\.,\+ ]+   |

| Index | Lv I | Name                             | XML Tag          | Mult    | Type / Code                       | Rest r | Additional details  |
|-------|------|----------------------------------|------------------|---------|-----------------------------------|--------|---|
|       | 4    | Instruction For Next Agent       | <InstrForNxtAgt> | [0..*]  |                                   | [0..6] | Comment:<br>NOTE: to support both MT MX reporting over the co-existence period, CBL will limit the information received through pacs.008 instructions by allowing a maximum of 140 characters between the following fields:<br>- InstructionForCreditorAgent<br>- InstructionForNextAgent |
|       | 5    | Instruction Information          | <InstrInfo>      | [0..1]  | text{1,140}                       | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ ]+   |
|       | 4    | Regulatory Reporting             | <RgltryRptg>     | [0..10] |                                   |        | Comment:<br>NOTE: to support both MT MX reporting over the coexistence period, CBL will limited field Regulatory Reporting to a maximum of 105 characters   |
|       | 5    | Debit Credit Reporting Indicator | <DbtCdtRptgInd>  | [0..1]  | text                              |        |   |
|       | 6    | Credit                           |                  |         | CRED                              |        |   |
|       | 6    | Debit                            |                  |         | DEBT                              |        |   |
|       | 6    | Both                             |                  |         | BOTH                              |        |   |
|       | 5    | Authority                        | <Authrty>        | [0..1]  |                                   |        |   |
|       | 6    | Name                             | <Nm>             | [0..1]  | text{1,140}                       | T/C    | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\?:(\)\.,\+ ]+  |
|       | 6    | Country                          | <Ctry>           | [0..1]  | text<br>[A-Z]{2,2}                |        |   |
|       | 5    | Details                          | <Dtls>           | [0..*]  |                                   |        |   |
|       | 6    | Type                             | <Tp>             | [0..1]  | text{1,35}                        | T/C    | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\?:(\)\.,\+ ]+   |
|       | 6    | Date                             | <Dt>             | [0..1]  | date                              |        |   |
|       | 6    | Country                          | <Ctry>           | [0..1]  | text<br>[A-Z]{2,2}                |        |   |
|       | 6    | Code                             | <Cd>             | [0..1]  | text{1,10}                        | T/C    | Type Changed:<br>text{1,10}<br>[0-9a-zA-Z\?:(\)\.,\+ ]+   |
|       | 6    | Amount                           | <Amt>            | [0..1]  | 0 <= decimal<br>td = 18<br>fd = 5 | T/C    | Type Changed:<br>0 <= decimal<br>td = 14<br>fd = 5  |

| Index | Lv<br>I | Name                           | XML Tag          | Mult        | Type / Code        | Rest<br>r | Additional details  |
|-------|---------|--------------------------------|------------------|-------------|--------------------|-----------|---|
|       | 7       | Xml Attribute Currency         | <Ccy>            |             | text<br>[A-Z]{3,3} |           |   |
|       | 6       | Information                    | <Inf>            | [0..*]      | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.\,\+\ ]+   |
|       | 4       | Related Remittance Information | <RltdRmtInf>     | [0..1<br>0] |                    | [0..1]    | Rules: R15  |
|       | 5       | Remittance Identification      | <RmtId>          | [0..1]      | text{1,35}         | T/C       | Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:\(\)\.\,\+\ !\\$\%&\^=\`\\{\}\~";>@\\\]]+  |
|       | 5       | Remittance Location Details    | <RmtLctnDtls>    | [0..*]      |                    | [0..2]    |   |
|       | 6       | Method                         | <Mtd>            | [1..1]      | text               |           |   |
|       | 7       | Fax                            |                  |             | FAXI               |           |   |
|       | 7       | Interchange                    | Electronic Data  |             | EDIC               |           |   |
|       | 7       | Identifier                     | Uniform Resource |             | URID               |           |   |
|       | 7       |                                | E Mail           |             | EMAL               |           |   |
|       | 7       |                                | Post             |             | POST               |           |   |
|       | 7       |                                | SMS              |             | SMSM               |           |   |
|       | 6       | Electronic Address             | <ElctrncAdr>     | [0..1]      | text{1,2048}       | T/C       | Comment:<br>The lenght is Max2048Text in order to allow inclusion<br>of a URL.<br>-----<br>Type Changed:<br>text{1,2048}<br>[0-9a-zA-Z\-\?\:\(\)\.\,\+\ !\\$\%&\^=\`\\{\}\~";>@\\\]]+ |
|       | 6       | Postal Address                 | <PstlAdr>        | [0..1]      |                    |           |   |
|       | 7       | Name                           | <Nm>             | [1..1]      | text{1,140}        | T/C       | Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?\:\(\)\.\,\+\ !\\$\%&\^=\`\\{\}\~";>@\\\]]+   |
|       | 7       | Address                        | <Adr>            | [1..1]      |                    |           | Rules: R81, R82   |
|       | 8       | Department                     | <Dept>           | [0..1]      | text{1,70}         | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:\(\)\.\,\+\ !\\$\%&\^=\`\\{\}\~";>@\\\]]+  |

| Index | Lv<br>I | Name            | XML Tag   | Mult   | Type / Code | Rest<br>r | Additional details  |
|-------|---------|-----------------|-----------|--------|-------------|-----------|---|
|       | 8       | Sub Department  | <SubDept> | [0..1] | text{1,70}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Street Name     | <StrtNm>  | [0..1] | text{1,70}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Building Number | <BldgNb>  | [0..1] | text{1,16}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Building Name   | <BldgNm>  | [0..1] | text{1,35}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Floor           | <Flr>     | [0..1] | text{1,70}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Post Box        | <PstBx>   | [0..1] | text{1,16}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Room            | <Room>    | [0..1] | text{1,70}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,70}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |
|       | 8       | Post Code       | <PstCd>   | [0..1] | text{1,16}  | T/C       | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,16}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^_`\\{\}\~";>@\\\]]+ |

| Index | Lv<br>I | Name                   | XML Tag       | Mult        | Type / Code        | Rest<br>r     | Additional details  |   |
|-------|---------|------------------------|---------------|-------------|--------------------|---------------|---|---|
|       | 8       | Town Name              | <TwnNm>       | [0..1]      | text{1,35}         | T/C           | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]+   |   |
|       | 8       | Name                   | Town Location | <TwnLctnNm> | [0..1]             | text{1,35}    | T/C   | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]+ |
|       | 8       | District Name          | <DstrctNm>    | [0..1]      | text{1,35}         | T/C           | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]+   |   |
|       | 8       | Country Sub Division   | <CtrySubDvsn> | [0..1]      | text{1,35}         | T/C           | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]+   |   |
|       | 8       | Country                | <Ctry>        | [0..1]      | text<br>[A-Z]{2,2} |               | Rules: R81, R82   |   |
|       | 8       | Address Line           | <AdrLine>     | [0..7]      | text{1,70}         | [0..3]<br>T/C | Rules: R81, R82<br>-----<br>Type Changed:<br>text{1,35}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]+   |   |
|       | 4       | Remittance Information | <RmtInf>      | [0..1]      |                    |               | Rules: R15, R83   |   |
|       | 5       | Unstructured           | <Ustrd>       | [0..*]      | text{1,140}        | [0..1]<br>T/C | Rules: R16<br>-----<br>Comment:<br>CBL usage: This field contains the Creditor whose<br>account is to be credited at the Creditor Agent<br>-----<br>Synonym:<br>70 (in context : Remittance Information)<br>-----<br>Type Changed:<br>text{1,140}<br>[0-9a-zA-Z\-\?\:(\()\.,\+\!#\\$\%&\*=\^`\\{\}\~";>@\\\]+ |   |

## Rule Definitions

| Index | Name  | Description   | Formal Rule Definition  |
|-------|---|---|---|
| R1    | Rule "CBPR_Priority_Instruction_Priority_Formal Rule"             | If "Priority" is used in the BAH for pacs messages, the value should be identical to the one in the "Payment Type Information/InstructionPriority" if present.  | For each [Full Message], if at least one occurrence of the following element(s) [Full Message/BusinessApplicationHeaderV02/Priority] and [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority] is (are) present , then every occurrence of [Full Message/BusinessApplicationHeaderV02/Priority] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentTypeInformation/InstructionPriority]   |
| R2    | Rule "CBPR_From_To_Instructing_Instructed_Agent_BIC_1_FormalRule" | BAH "From" BIC must match "Instructing Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU<br><br>BAH "To" BIC must match "Instructed Agent" BIC, except where BAH CopyDuplicate = COPY or = CODU | For each [Full Message], if every occurrence of [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] has value not included in the following list 'COPY' or 'CODU' , then every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] and every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI] |

|    |  |  |   |
|----|--|--|---|
| R3 | Rule<br>"CBPR_From_To_Instructing_Instructed_Agent_BIC_2_FormalRule" | <p>BAH "From" BIC must match "Instructing Agent" BIC if CopyDuplicate is absent.</p> <p>BAH "To" BIC must match "Instructed Agent" BIC if CopyDuplicate is absent.</p>   | <p>For each [Full Message], if the following element(s) [Full Message/BusinessApplicationHeaderV02/CopyDuplicate] is (are) absent , then every occurrence of [Full Message/BusinessApplicationHeaderV02/From/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructingAgent/FinancialInstitutionIdentification/BICFI] and every occurrence of [Full Message/BusinessApplicationHeaderV02/To/FinancialInstitutionIdentification/FinancialInstitutionIdentification/BICFI] must have the same value than every occurrence of [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructedAgent/FinancialInstitutionIdentification/BICFI]</p> |
| R4 | Rule<br>"CBPR_Character_Set_Usage_TextualRule"                       | For further description on the usage of the field, pls refer to the CBPR Plus UHB.   |   |
| R5 | Rule<br>"CBPR_Business_Message_Identifier_TextualRule"               | <p>The Business Message Identifier is the unique identifier of the Business Message instance that is being transported with this header, as defined by the sending application or system.</p> <p>Must contain the Message Identification element from the Group Header of the underlying message, where available (as is typically the case with pacs, pain, and camt messages, for example). If Message Identification is not available in the underlying message, then this field must contain the unique identifier of the Business Message instance.</p> |   |

|     |   |  |  |
|-----|---|--|--|
| R6  | Rule "CBPR_Message_Definition_Identifier_TextualRule"       | The Message Definition Identifier of the Business Message instance that is being transported with this header. In general, it must be formatted exactly as it appears in the namespace of the Business Message instance.   |  |
| R7  | Rule "CBPR_Business_Service_TextualRule"                    | <p>This field may be used by SWIFT to support differentiated processing on SWIFT-administered services such as FINplus. For a description of reserved values, please refer to the Service Description for your service.</p> <p>To support differentiated processing on CBPRPlus, for example, SWIFT reserves a set of values that conform to a specific format.</p> <p>A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.</p> |  |
| R8  | Rule "CBPR_Business_Service_Usage_TextualRule"              | The value "swift.cbprplus.03" must be used.  |  |
| R9  | Rule "CBPR_Market_Practice_TextualRule"                     | <p>This field may be used by SWIFT on SWIFT-administered services. For a description of reserved values, please refer to the Service Description for your service. Contact your Service Administrator for further clarification, if necessary.</p> <p>A user-specific value may be used, but please contact your Service Administrator before doing so to ensure alignment with general practice on your service.</p>  |  |
| R10 | Rule "CBPR_Related_Business_Application_Header_TextualRule" | If used, the Related BAH must transport the exact same information as in the BAH of the related message.   |  |
| R11 | Rule "CBPR_Related_BAH_Business_Service_TextualRule"        | If related BAH is present, it should transport the element Business Service.   |  |

|     |  |   |  |
|-----|--|---|--|
| R12 | Rule "CBPR_Agent_Name_Postal_Address_FormalRule"       | Name and Address must always be present together.             | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08], for each [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present</p> |
| R13 | Rule "CBPR_Instruction_for_Creditor_Agent1_FormalRule" | The code "HOLD" is not allowed if the code "CHQB" is present. | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08], [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/HoldC ashForCreditor] cannot be present when at least one occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/PayC reditorByCheque] is present</p>  |
| R14 | Rule "CBPR_Instruction_for_Creditor_Agent2_FormalRule" | The code "TELB" is not allowed if the code "PHOB" is present. | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08], [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/Teleco m] cannot be present when at least one occurrence of [FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InstructionForCreditorAgent/Code/Phone Beneficiary] is present</p>   |

|     |  |   |  |
|-----|--|---|--|
| R15 | Rule "CBPR_Related_Remittance_Info_Remit_Info_Mutually_Exclusive_FormalRule" | In the interbank space, Related Remittance Information and Remittance Information are mutually exclusive and all may be absent.               | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], the following elements are mutually exclusive: [CreditTransferTransactionInformation/RelatedRemittanceInformation], [CreditTransferTransactionInformation/RemittanceInformation] and all may be absent  |
| R16 | Rule "CBPR_Remittance_Mutually_Exclusive_FormalRule"                         | Either Structured or Unstructured Remittance can be present.  | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], the following elements are mutually exclusive: [CreditTransferTransactionInformation/RemittanceInformation/Unstructured] , [CreditTransferTransactionInformation/RemittanceInformation/Structured] and all may be absent  |
| R17 | Rule "CBPR_CRED_FormalRule"  | Charge information is mandatory if CRED is present – if no charges are taken, Zero must be used in "Amount" (any agent in the payment chain). | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if every occurrence of [CreditTransferTransactionInformation/ChargeBearer] has value included in the following list 'CRED' , then at least one occurrence of the following element(s) [CreditTransferTransactionInformation/ChargesInformation] must be present   |
| R18 | Rule "CBPR_Instruction_For_Creditor_Presence_Code_FormalRule"                | Each code can only be used once for element Instruction For Creditor Agent.   | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if at least one occurrence of the following element(s) [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] is (are) present , then every occurrence of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] must have the same value than between '1' and '1' occurrences of [CreditTransferTransactionInformation/InstructionForCreditorAgent/Code] |

|     |  |  |  |
|-----|--|--|--|
| R19 | Rule "CBPR_DEBT_FormalRule"                          | If "Charge Bearer/DEBT" is present, then only one occurrence of "Charge Information" is allowed.     | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation], if at least one occurrence of the following element(s) [CreditTransferTransactionInformation/ChargeBearer/BornByDebtor] is (are) present , then for each [CreditTransferTransactionInformation], there must be maximum '1' occurrences of [CreditTransferTransactionInformation/ChargesInformation] |
| R20 | Rule "CBPR_Instruction_Identification_FormalRule"    | This field must not start or end with a slash '/' and must not contain two consecutive slashes '//'. | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/PaymentIdentification/InstructionIdentification], the value of every occurrence of [InstructionIdentification] must not comply with the following XML pattern : '(.*) (.*) (.*/.*)"'  |
| R21 | Rule "CBPR_Local_Instrument_Guideline"               | The preferred option is coded information.   |  |
| R22 | Rule "CBPR_Interbank_Settlement_Currency_FormalRule" | The codes XAU, XAG, XPD and XPT are not allowed, as these are codes are only used for commodities.   | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InterbankSettlementAmount], every occurrence of [InterbankSettlementAmount/Currency] must have value not included in the following list 'XAU' or 'XAG' or 'XPD' or 'XPT'  |

|     |  |  |  |
|-----|--|--|--|
| R23 | Rule<br>"CBPR_DEBT_Rule_1<br>_TextualRule" | <p>If Instructed amount and Interbank Settlement amount are expressed in the same currency:</p> <p>If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge information is optional (both Agent and currency always need to be provided).</p> <p>This rule only applies when Interbank Settlement Amount and Instructed amount are expressed in the same currency.</p> |  |
| R24 | Rule<br>"CBPR_DEBT_Rule_2<br>_TextualRule" | <p>If Instructed amount and Interbank Settlement amount are not expressed in the same currency:</p> <p>If Charge Bearer/DEBT is used then charge information is only mandatory in case of prepaid charges (that is if interbank settlement amount is higher than instructed amount WHEN converted in the same currency) and in that case zero amount is not allowed.</p> <p>Otherwise Charge information is optional (both Agent and currency always need to be provided).</p>   |  |
| R25 | Rule<br>"CBPR_DEBT_Rule_1<br>_TextualRule" | <p>If Instructed amount and Interbank Settlement amount are expressed in the same currency:</p> <p>If Charge Bearer/DEBT is used then Charge Information is only mandatory in case of prepaid charges (that is if Interbank Settlement Amount is higher than instructed amount) and in that case zero amount is not allowed. Otherwise Charge Information is optional (both Agent and currency always need to be provided).</p> <p>This rule only applies when Interbank Settlement Amount and Instructed Amount are expressed in the same currency.</p> |  |

|     |   |  |  |
|-----|---|--|--|
| R26 | Rule "CBPR_SHAR_TextualRule"                        | If deduct taken then Charge Information is mandatory. It is optional for initiator (not taking deduct).  |  |
| R27 | Rule "CBPR_Agent_National_only_TextualRule"         | Whenever Debtor Agent, Creditor Agent and all agents in between are located within the same country, the clearing code only may be used.   |  |
| R28 | Rule "CBPR_Agent_Option_1_TextualRule"              | BICFI, complemented optionally with a LEI (preferred option)   |  |
| R29 | Rule "CBPR_Agent_Option_2_TextualRule"              | (Clearing Code OR LEI) AND (Name AND (Unstructured postal address OR [Structured postal address with minimum Town Name and Country])). It is recommended to also add the post code when available.   |  |
| R30 | Rule "CBPR_Agent_Option_3_TextualRule"              | Name AND (Unstructured OR [Structured postal address with minimum Town Name and Country]). It is recommended to also add the post code when available.   |  |
| R31 | Rule "CBPR_Co-existence_Postal_Address_TextualRule" | <p>Address Line (Unstructured Address) remains available only for cases when the payment is initiated in FIN, or by an MI, during coexistence only. The Structured PostalAddress remains the preferred option.</p> <p>Therefore:</p> <ul style="list-style-type: none"> <li>- If a payment is initiated on FIN, or by an MI, and the postal address is unstructured, the outgoing ISO 20022 message will transport unstructured postal address, up to the Creditor Agent.</li> <li>- If a payment is initiated in ISO 20022, postal address must be structured.</li> </ul> |  |

|     |   |   |   |
|-----|---|---|---|
| R32 | Rule<br>"CBPR_Town_Name_<br>And_Country_Formal<br>Rule" | If "PostalAddress" is used, and if AddressLine is absent, then Country and Town name must be present. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/ChargesInformation/<br>Agent/FinancialInstitutionIdentification/PostalAddress], if<br>the following element(s) [PostalAddress/AddressLine] is<br>(are) absent<br>, then<br>at least one occurrence of the following element(s)<br>[PostalAddress/TownName] and [PostalAddress/Country]<br>must be present |
|-----|---|---|---|

|     |  |   |   |
|-----|--|---|---|
| R33 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/ChargesInformation/Agent/FinancialInstitutionIdentification/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then</p> <p>for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then</p> <p>at least one occurrence of the following element(s)</p> |
|-----|--|---|---|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |  |  |   |
|-----|--|--|---|
|     |  |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p>  |
| R34 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full<br/>Message/Document/FIToFICustomerCreditTransferV08/C<br/>reditTransferTransactionInformation/ChargesInformation/<br/>Agent/FinancialInstitutionIdentification/PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s)<br/> [PostalAddress/AddressLine] is (are) present<br/> and the following element(s) [PostalAddress/Department]<br/> and [PostalAddress/SubDepartment] and<br/> [PostalAddress/StreetName] and<br/> [PostalAddress/BuildingNumber] and<br/> [PostalAddress/BuildingName] and [PostalAddress/Floor]<br/> and [PostalAddress/PostBox] and [PostalAddress/Room]<br/> and [PostalAddress/PostCode] and<br/> [PostalAddress/TownName] and<br/> [PostalAddress/TownLocationName] and<br/> [PostalAddress/DistrictName] and<br/> [PostalAddress/CountrySubDivision] and<br/> [PostalAddress/Country] is (are) absent<br/> , then<br/> every occurrence of [PostalAddress/AddressLine] must<br/> have a maximum length of '35' character(s)</p> |

|     |   |   |   |
|-----|---|---|---|
| R35 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_FormalRule" | Name and Address must always be present together.   | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification], for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and for each [FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present</p> |
| R36 | Rule<br>"CBPR_Town_Name_<br>And_Country_FormalRule"     | If "PostalAddress" is used, and if AddressLine is absent, then Country and Town name must be present. | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress], if the following element(s) [PostalAddress/AddressLine] is (are) absent, then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present</p>  |

|     |  |   |   |
|-----|--|---|---|
| R37 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/IntermediaryAgent1/FinancialInstitutionIdentification/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then</p> <p>for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then</p> <p>at least one occurrence of the following element(s)</p> |
|-----|--|---|---|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |  |  |   |
|-----|--|--|---|
|     |  |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p>   |
| R38 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full<br/>Message/Document/FIToFICustomerCreditTransferV08/C<br/>reditTransferTransactionInformation/IntermediaryAgent1/F<br/>inancialInstitutionIdentification/PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s)<br/> [PostalAddress/AddressLine] is (are) present<br/> and the following element(s) [PostalAddress/Department]<br/> and [PostalAddress/SubDepartment] and<br/> [PostalAddress/StreetName] and<br/> [PostalAddress/BuildingNumber] and<br/> [PostalAddress/BuildingName] and [PostalAddress/Floor]<br/> and [PostalAddress/PostBox] and [PostalAddress/Room]<br/> and [PostalAddress/PostCode] and<br/> [PostalAddress/TownName] and<br/> [PostalAddress/TownLocationName] and<br/> [PostalAddress/DistrictName] and<br/> [PostalAddress/CountrySubDivision] and<br/> [PostalAddress/Country] is (are) absent<br/> , then<br/> every occurrence of [PostalAddress/AddressLine] must<br/> have a maximum length of '35' character(s)</p> |

|     |  |   |   |
|-----|--|---|---|
| R39 | Rule "CBPR_UltimateDebtor_Option_3_Jurisdictions_only_TextualRule" | <p>For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – eg EEA)</p> <p>Countries impacted by the Jurisdictional rule:<br/>Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.</p> <p>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.</p> |   |
| R40 | Rule "CBPR_Ultimate_Debtor_Option_1_TextualRule"                   | Name AND Structured Address with minimum Town Name & Country (+ recommended to add Postal Code when available)  |   |
| R41 | Rule "CBPR_Ultimate_Debtor_Option_2_TextualRule"                   | Name AND Structured Address with minimum Town Name & Country (+ recommended to add Postal code when available) AND Identification: Private or Organisation)   |   |
| R42 | Rule "CBPR_Party_Name_Postal_Address_FormalRule"                   | If Postal Address is present then Name is mandatory.  | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateDebtor], if at least one occurrence of the following element(s) [UltimateDebtor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [UltimateDebtor/Name] must be present |

|     |  |   |  |
|-----|--|---|--|
| R43 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | <p>If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present and the following element(s) [PostalAddress/Department] and [PostalAddress/SubDepartment] and [PostalAddress/StreetName] and [PostalAddress/BuildingNumber] and [PostalAddress/BuildingName] and [PostalAddress/Floor] and [PostalAddress/PostBox] and [PostalAddress/Room] and [PostalAddress/PostCode] and [PostalAddress/TownName] and [PostalAddress/TownLocationName] and [PostalAddress/DistrictName] and [PostalAddress/CountrySubDivision] and [PostalAddress/Country] is (are) absent, then every occurrence of [PostalAddress/AddressLine] must have a maximum length of '35' character(s)</p> |
|-----|--|---|--|

|     |  |   |  |
|-----|--|---|--|
| R44 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateDebtor/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |   |  |   |
|-----|---|--|---|
|     |   |  | <p>must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p> |
| R45 | Rule<br>"CBPR_Party_Name_<br>Postal_Address_Form<br>alRule" | If Postal Address is present then Name is mandatory. | <p>For each [Full<br/> Message/Document/FIToFICustomerCreditTransferV08/C<br/> reditTransferTransactionInformation/InitiatingParty], if<br/> at least one occurrence of the following element(s)<br/> [InitiatingParty/PostalAddress] is (are) present<br/> , then<br/> at least one occurrence of the following element(s)<br/> [InitiatingParty/Name] must be present</p>   |

|     |  |   |  |
|-----|--|---|--|
| R46 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | <p>If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress], if<br/>at least one occurrence of the following element(s) [PostalAddress] is (are) present<br/>and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present<br/>and the following element(s) [PostalAddress/Department] and [PostalAddress/SubDepartment] and [PostalAddress/StreetName] and [PostalAddress/BuildingNumber] and [PostalAddress/BuildingName] and [PostalAddress/Floor] and [PostalAddress/PostBox] and [PostalAddress/Room] and [PostalAddress/PostCode] and [PostalAddress/TownName] and [PostalAddress/TownLocationName] and [PostalAddress/DistrictName] and [PostalAddress/CountrySubDivision] and [PostalAddress/Country] is (are) absent<br/>, then<br/>every occurrence of [PostalAddress/AddressLine] must have a maximum length of '35' character(s)</p> |
|-----|--|---|--|

|     |  |   |  |
|-----|--|---|--|
| R47 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/InitiatingParty/PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present<br/> , then<br/> for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present<br/> then<br/> at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |   |   |   |
|-----|---|---|---|
|     |   |   | <p>must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p> |
| R48 | Rule<br>"CBPR_Debtor_Option_3_Jurisdictions_only_TextualRule" | <p>For Jurisdictional transactions, Debtor/ Name is mandatory with either Debtor Account OR Debtor Identification (that is within a country or for regions under same legislations – eg EEA)</p> <p>Countries impacted by the Jurisdictional rule:<br/> Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.</p> <p>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.</p> |   |

|     |   |  |   |
|-----|---|--|---|
| R49 | Rule "CBPR_Co-existence_Postal_Address_TextualRule" | <p>1) If a payment is initiated by the Debtor's Agent in ISO 20022, effective with the start of the co-existence phase in November 2022, it is highly recommended to use a structured address of the Debtor and Creditor. Please note some MIs may reject an unstructured address from 2023.</p> <p>2) If a payment is initiated on FIN or by an MI not on ISO20022 yet , and the postal address is unstructured, the outgoing ISO 20022 message will transport unstructured postal address, up to the Creditor Agent. End of 2023 is still highly recommended as a target by all communities as for the end-date for unstructured party information for any payment format, legacy, FIN and ISO 20022.</p> <p>3) From November 2023 until November 2025, the same strong recommendation as stated under 1) above, applies.</p> <p>4) Structured address will become mandatory from November 2025 (the unstructured Address Line element will be removed).</p> |   |
| R50 | Rule "CBPR_Debtor_Option_2_TextualRule"             | Name AND (Unstructured OR [Structured Address with minimumTown Name & Country (+ recommended to add Postal code when available)]) AND (Account Number OR Identification: Private or Organisation)  |   |
| R51 | Rule "CBPR_Debtor_Option_1_TextualRule"             | Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)   |   |
| R52 | Rule "CBPR_Party_Name_Any_BIC_FormalRule"           | If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.   | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor], at least one occurrence of [Debtor/Name] must be present when [Debtor/Identification/OrganisationIdentification/AnyBIC] is absent |

|     |  |  |   |
|-----|--|--|---|
| R53 | Rule "CBPR_Party_Name_Postal_Address_FormalRule" | If Postal Address is present then Name is mandatory.   | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor], if at least one occurrence of the following element(s) [Debtor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Debtor/Name] must be present                               |
| R54 | Rule "CBPR_Debtor_BIC_Presence_TextualRule"      | If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence. |   |
| R55 | Rule "CBPR_Town_Name_And_Country_FormalRule"     | If "PostalAddress" is used, and if AddressLine is absent, then Country and Town name must be present.  | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor/PostalAddress], if the following element(s) [PostalAddress/AddressLine] is (are) absent , then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present |

|     |  |   |  |
|-----|--|---|--|
| R56 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Debtor/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |  |  |  |
|-----|--|--|--|
|     |  |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p>   |
| R57 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full<br/>Message/Document/FIToFICustomerCreditTransferV08/C<br/>reditTransferTransactionInformation/Debtor/PostalAddres<br/>s], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s)<br/> [PostalAddress/AddressLine] is (are) present<br/> and the following element(s) [PostalAddress/Department]<br/> and [PostalAddress/SubDepartment] and<br/> [PostalAddress/StreetName] and<br/> [PostalAddress/BuildingNumber] and<br/> [PostalAddress/BuildingName] and [PostalAddress/Floor]<br/> and [PostalAddress/PostBox] and [PostalAddress/Room]<br/> and [PostalAddress/PostCode] and<br/> [PostalAddress/TownName] and<br/> [PostalAddress/TownLocationName] and<br/> [PostalAddress/DistrictName] and<br/> [PostalAddress/CountrySubDivision] and<br/> [PostalAddress/Country] is (are) absent<br/> , then<br/> every occurrence of [PostalAddress/AddressLine] must<br/> have a maximum length of '35' character(s)</p> |

|     |   |   |  |
|-----|---|---|--|
| R58 | Rule<br>"CBPR_Agent_Name_<br>Postal_Address_FormalRule" | Name and Address must always be present together.   | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification], if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present and if at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present then at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present</p> |
| R59 | Rule<br>"CBPR_Town_Name_<br>And_Country_FormalRule"     | If "PostalAddress" is used, and if AddressLine is absent, then Country and Town name must be present. | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress], if the following element(s) [PostalAddress/AddressLine] is (are) absent, then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present</p>  |

|     |  |   |  |
|-----|--|---|--|
| R60 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/DebtorAgent/FinancialInstitutionIdentification/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |  |  |  |
|-----|--|--|--|
|     |  |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p>   |
| R61 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full<br/>Message/Document/FIToFICustomerCreditTransferV08/C<br/>reditTransferTransactionInformation/DebtorAgent/Financia<br/>lInstitutionIdentification/PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s)<br/> [PostalAddress/AddressLine] is (are) present<br/> and the following element(s) [PostalAddress/Department]<br/> and [PostalAddress/SubDepartment] and<br/> [PostalAddress/StreetName] and<br/> [PostalAddress/BuildingNumber] and<br/> [PostalAddress/BuildingName] and [PostalAddress/Floor]<br/> and [PostalAddress/PostBox] and [PostalAddress/Room]<br/> and [PostalAddress/PostCode] and<br/> [PostalAddress/TownName] and<br/> [PostalAddress/TownLocationName] and<br/> [PostalAddress/DistrictName] and<br/> [PostalAddress/CountrySubDivision] and<br/> [PostalAddress/Country] is (are) absent<br/> , then<br/> every occurrence of [PostalAddress/AddressLine] must<br/> have a maximum length of '35' character(s)</p> |

|     |   |  |  |
|-----|---|--|--|
| R62 | Rule "CBPR_Co-existence_Postal_Address_TextualRule" | <p>Address Line (Unstructured Address) remains available only for cases when the payment is initiated in FIN, or by an MI, during coexistence only. The Structured PostalAddress remains the preferred option.</p> <p>Therefore:</p> <ul style="list-style-type: none"> <li>- If a payment is initiated on FIN, or by an MI, and the postal address is unstructured, the outgoing ISO 20022 message will transport unstructured postal address, up to the Creditor Agent.</li> <li>- If a payment is initiated in ISO 20022, postal address must be structured.</li> </ul> |  |
| R63 | Rule "CBPR_Agent_Name_Postal_Address_FormalRule"    | Name and Address must always be present together.  | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification],<br/> if<br/> at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] must be present<br/> and if<br/> at least one occurrence of the following element(s) [FinancialInstitutionIdentification/PostalAddress] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [FinancialInstitutionIdentification/Name] must be present</p> |

|     |  |  |  |
|-----|--|--|--|
| R64 | Rule<br>"CBPR_Town_Name_<br>And_Country_Formal<br>Rule"    | If "PostalAddress" is used, and if AddressLine is absent, then Country and Town name must be present.  | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/CreditorAgent/Financ<br>ialInstitutionIdentification/PostalAddress], if<br>the following element(s) [PostalAddress/AddressLine] is<br>(are) absent<br>, then<br>at least one occurrence of the following element(s)<br>[PostalAddress/TownName] and [PostalAddress/Country]<br>must be present   |
| R65 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than<br>Address Line is present then every occurrence of Address<br>Line must not exceed 35 characters. | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/CreditorAgent/Financ<br>ialInstitutionIdentification/PostalAddress], if<br>at least one occurrence of the following element(s)<br>[PostalAddress] is (are) present<br>and at least one occurrence of the following element(s)<br>[PostalAddress/AddressLine] is (are) present<br>and the following element(s) [PostalAddress/Department]<br>and [PostalAddress/SubDepartment] and<br>[PostalAddress/StreetName] and<br>[PostalAddress/BuildingNumber] and<br>[PostalAddress/BuildingName] and [PostalAddress/Floor]<br>and [PostalAddress/PostBox] and [PostalAddress/Room]<br>and [PostalAddress/PostCode] and<br>[PostalAddress/TownName] and<br>[PostalAddress/TownLocationName] and<br>[PostalAddress/DistrictName] and<br>[PostalAddress/CountrySubDivision] and<br>[PostalAddress/Country] is (are) absent<br>, then<br>every occurrence of [PostalAddress/AddressLine] must<br>have a maximum length of '35' character(s) |

|     |  |   |  |
|-----|--|---|--|
| R66 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/CreditorAgent/FinancialInstitutionIdentification/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then</p> <p>for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then</p> <p>at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine]</p> <p>and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then</p> <p>at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |   |  |  |
|-----|---|--|--|
|     |   |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p> |
| R67 | Rule<br>"CBPR_Party_Name_<br>Any_BIC_FormalRule"                        | If AnyBIC is absent then Name is mandatory and it is recommended to also provide the Postal Address.   | For each [Full<br>Message/Document/FIToFICustomerCreditTransferV08/C<br>reditTransferTransactionInformation/Creditor], at least one occurrence of [Creditor/Name] must be present when [Creditor/Identification/OrganisationIdentification/AnyBIC] is absent   |
| R68 | Rule<br>"CBPR_Creditor_Opti<br>on_3_Jurisdictions_on<br>ly_TextualRule" | <p>For Jurisdictional transactions, Creditor/Name is mandatory with either Creditor Account OR Creditor Identification (that is within a country or for regions under same legislations – eg EEA)</p> <p>Countries impacted by the Jurisdictional rule:<br/> Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden - Iceland, Liechtenstein, Norway.</p> <p>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.</p> |  |
| R69 | Rule<br>"CBPR_Creditor_Opti<br>on_1_TextualRule"                        | Organisation Identification/AnyBIC AND (Account Number OR Organisation Identification/Other)   |  |

|     |  |   |   |
|-----|--|---|---|
| R70 | Rule "CBPR_Creditor_Option_2_TextualRule"        | Name AND (Unstructured OR [Structured Address with minimumTown Name & Country (+ recommended to add Postal code when available)]) AND (Account Number OR Identification: Private or Organisation) |   |
| R71 | Rule "CBPR_Party_Name_Postal_Address_FormalRule" | If Postal Address is present then Name is mandatory.  | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor], if at least one occurrence of the following element(s) [Creditor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [Creditor/Name] must be present                           |
| R72 | Rule "CBPR_Creditor_BIC_Presence_TextualRule"    | If Any BIC is present, then (Name and Postal Address) is NOT allowed (other elements remain optional) - However, in case of conflicting information, AnyBIC will always take precedence.          |   |
| R73 | Rule "CBPR_Town_Name_And_Country_FormalRule"     | If "PostalAddress" is used, and if AddressLine is absent, then Country and Town name must be present.   | For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor/PostalAddress], if the following element(s) [PostalAddress/AddressLine] is (are) absent , then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present |

|     |  |   |  |
|-----|--|---|--|
| R74 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/Creditor/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |  |  |  |
|-----|--|--|--|
|     |  |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p>   |
| R75 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full<br/>Message/Document/FIToFICustomerCreditTransferV08/C<br/>reditTransferTransactionInformation/Creditor/PostalAddre<br/>ss], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s)<br/> [PostalAddress/AddressLine] is (are) present<br/> and the following element(s) [PostalAddress/Department]<br/> and [PostalAddress/SubDepartment] and<br/> [PostalAddress/StreetName] and<br/> [PostalAddress/BuildingNumber] and<br/> [PostalAddress/BuildingName] and [PostalAddress/Floor]<br/> and [PostalAddress/PostBox] and [PostalAddress/Room]<br/> and [PostalAddress/PostCode] and<br/> [PostalAddress/TownName] and<br/> [PostalAddress/TownLocationName] and<br/> [PostalAddress/DistrictName] and<br/> [PostalAddress/CountrySubDivision] and<br/> [PostalAddress/Country] is (are) absent<br/> , then<br/> every occurrence of [PostalAddress/AddressLine] must<br/> have a maximum length of '35' character(s)</p> |

|     |   |  |  |
|-----|---|--|--|
| R76 | Rule<br>"CBPR_UltimateCredit<br>or_Option_2_Jurisdicti<br>ons_only_TextualRule<br>" | <p>For Jurisdictional transactions, Name and/or Identification (Private or Organisation) (that is within a country or for regions under same legislations – eg EEA)</p> <p>Countries impacted by the Jurisdictional rule:<br/>Belgium, Bulgaria, Czechia, Denmark, Germany, Estonia, Ireland, Greece, Spain, France, Croatia, Italy, Cyprus, Latvia, Lithuania, Luxembourg, Hungary, Malta, Netherlands, Austria, Poland, Portugal, Romania, Slovenia, Slovakia, Finland, Sweden- Iceland, Liechtenstein, Norway.</p> <p>Note: The jurisdictional rules apply only when all agents in the payment chain underly the same jurisdiction.</p> |  |
| R77 | Rule<br>"CBPR_Ultimate_Cred<br>itor_Option_1_Textual<br>Rule"                       | Name AND Structured Address, with minimum Country (other elements are optional, eg Identification: Private or Organisation)  |  |
| R78 | Rule<br>"CBPR_Name_Postal<br>_Address_FormalRule<br>"                               | If Postal Address is present then Name is mandatory.   | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateCreditor], if at least one occurrence of the following element(s) [UltimateCreditor/PostalAddress] is (are) present , then at least one occurrence of the following element(s) [UltimateCreditor/Name] must be present</p> |

|     |  |   |  |
|-----|--|---|--|
| R79 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/UltimateCreditor/PostalAddress], if at least one occurrence of the following element(s) [PostalAddress] is (are) present and at least one occurrence of the following element(s) [PostalAddress/AddressLine] is (are) present, then for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/Department] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/SubDepartment] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/StreetName] is (are) present then at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present and there must be maximum '2' occurrences of [PostalAddress/AddressLine] and for each [PostalAddress], if at least one occurrence of the following element(s) [PostalAddress/BuildingNumber] is (are) present then at least one occurrence of the following element(s)</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>[PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s) [PostalAddress/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [PostalAddress/TownName] and [PostalAddress/Country] must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if</p> |
|--|--|---|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s)<br/> <code>[PostalAddress/PostCode]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownLocationName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/DistrictName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/CountrySubDivision]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code><br/> must be present<br/> and there must be maximum '2' occurrences of<br/> <code>[PostalAddress/AddressLine]</code><br/> and for each <code>[PostalAddress]</code>, if<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> <code>[PostalAddress/TownName]</code> and <code>[PostalAddress/Country]</code></p> |
|--|--|---|

|     |  |  |  |
|-----|--|--|--|
|     |  |  | <p>must be present<br/> and there must be maximum '2' occurrences of [PostalAddress/AddressLine]<br/> and for each [PostalAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s)<br/> [PostalAddress/TownName] and [PostalAddress/Country]<br/> must be present<br/> and there must be maximum '2' occurrences of<br/> [PostalAddress/AddressLine]</p>   |
| R80 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full<br/>Message/Document/FIToFICustomerCreditTransferV08/C<br/>reditTransferTransactionInformation/UltimateCreditor/Post<br/>alAddress], if<br/> at least one occurrence of the following element(s)<br/> [PostalAddress] is (are) present<br/> and at least one occurrence of the following element(s)<br/> [PostalAddress/AddressLine] is (are) present<br/> and the following element(s) [PostalAddress/Department]<br/> and [PostalAddress/SubDepartment] and<br/> [PostalAddress/StreetName] and<br/> [PostalAddress/BuildingNumber] and<br/> [PostalAddress/BuildingName] and [PostalAddress/Floor]<br/> and [PostalAddress/PostBox] and [PostalAddress/Room]<br/> and [PostalAddress/PostCode] and<br/> [PostalAddress/TownName] and<br/> [PostalAddress/TownLocationName] and<br/> [PostalAddress/DistrictName] and<br/> [PostalAddress/CountrySubDivision] and<br/> [PostalAddress/Country] is (are) absent<br/> , then<br/> every occurrence of [PostalAddress/AddressLine] must<br/> have a maximum length of '35' character(s)</p> |

|     |  |  |  |
|-----|--|--|--|
| R81 | Rule<br>"CBPR_GracePeriod_<br>Unstructured_Formal<br>Rule" | If Postal Address is present and if no other element than Address Line is present then every occurrence of Address Line must not exceed 35 characters. | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address], if at least one occurrence of the following element(s) [Address] is (are) present and at least one occurrence of the following element(s) [Address/AddressLine] is (are) present and the following element(s) [Address/Department] and [Address/SubDepartment] and [Address/StreetName] and [Address/BuildingNumber] and [Address/BuildingName] and [Address/Floor] and [Address/PostBox] and [Address/Room] and [Address/PostCode] and [Address/TownName] and [Address/TownLocationName] and [Address/DistrictName] and [Address/CountrySubDivision] and [Address/Country] is (are) absent, then every occurrence of [Address/AddressLine] must have a maximum length of '35' character(s)</p> |
|-----|--|--|--|

|     |  |   |  |
|-----|--|---|--|
| R82 | Rule<br>"CBPR_GracePeriod_Hybrid_FormalRule" | <p>If Address Line is present and any other Postal Address element(s) are present, then Town Name and Country are mandatory in Postal Address and a maximum of two occurrences of Address Line are allowed.</p> | <p>For each [Full Message/Document/FIToFICustomerCreditTransferV08/CreditTransferTransactionInformation/RelatedRemittanceInformation/RemittanceLocationDetails/PostalAddress/Address], if at least one occurrence of the following element(s) [Address] is (are) present and at least one occurrence of the following element(s) [Address/AddressLine] is (are) present, then for each [Address], if at least one occurrence of the following element(s) [Address/Department] is (are) present then at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present and there must be maximum '2' occurrences of [Address/AddressLine] and for each [Address], if at least one occurrence of the following element(s) [Address/SubDepartment] is (are) present then at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present and there must be maximum '2' occurrences of [Address/AddressLine] and for each [Address], if at least one occurrence of the following element(s) [Address/StreetName] is (are) present then at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present and there must be maximum '2' occurrences of [Address/AddressLine] and for each [Address], if at least one occurrence of the following element(s) [Address/BuildingNumber] is (are) present then</p> |
|-----|--|---|--|

|  |  |   |
|--|--|---|
|  |  | <p>at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]<br/> and for each [Address], if<br/> at least one occurrence of the following element(s) [Address/BuildingName] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]<br/> and for each [Address], if<br/> at least one occurrence of the following element(s) [Address/Floor] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]<br/> and for each [Address], if<br/> at least one occurrence of the following element(s) [Address/PostBox] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]<br/> and for each [Address], if<br/> at least one occurrence of the following element(s) [Address/Room] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]</p> |
|--|--|---|

|  |  |  |
|--|--|--|
|  |  | <p>and for each [Address], if<br/>at least one occurrence of the following element(s)<br/>[Address/PostCode] is (are) present<br/>then<br/>at least one occurrence of the following element(s)<br/>[Address/TownName] and [Address/Country] must be<br/>present<br/>and there must be maximum '2' occurrences of<br/>[Address/AddressLine]<br/>and for each [Address], if<br/>at least one occurrence of the following element(s)<br/>[Address/TownLocationName] is (are) present<br/>then<br/>at least one occurrence of the following element(s)<br/>[Address/TownName] and [Address/Country] must be<br/>present<br/>and there must be maximum '2' occurrences of<br/>[Address/AddressLine]<br/>and for each [Address], if<br/>at least one occurrence of the following element(s)<br/>[Address/DistrictName] is (are) present<br/>then<br/>at least one occurrence of the following element(s)<br/>[Address/TownName] and [Address/Country] must be<br/>present<br/>and there must be maximum '2' occurrences of<br/>[Address/AddressLine]<br/>and for each [Address], if<br/>at least one occurrence of the following element(s)<br/>[Address/CountrySubDivision] is (are) present<br/>then<br/>at least one occurrence of the following element(s)<br/>[Address/TownName] and [Address/Country] must be<br/>present<br/>and there must be maximum '2' occurrences of<br/>[Address/AddressLine]<br/>and for each [Address], if<br/>at least one occurrence of the following element(s)<br/>[Address/TownName] is (are) present<br/>then<br/>at least one occurrence of the following element(s)</p> |
|--|--|--|

|     |  |   |
|-----|--|---|
|     |  | <p>[Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]<br/> and for each [Address], if<br/> at least one occurrence of the following element(s) [Address/Country] is (are) present<br/> then<br/> at least one occurrence of the following element(s) [Address/TownName] and [Address/Country] must be present<br/> and there must be maximum '2' occurrences of [Address/AddressLine]</p> |
| R83 | Rule "CBPR_Remittance_Rules_TextualRule" | <p>1. Use of Structured Remittance must be bilaterally or multilaterally agreed</p> <p>2. Structured Remittance can be repeated, however the total business data for all occurrences (excluding tags) must not exceed 9,000 characters.</p>   |

## Legal Notices

### Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

### Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR.

Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.