

Xact File Transfer

Clearstream file transfer connectivity solutions

Xact File Transfer - Clearstream file transfer connectivity solutions

August 2026

Document number: 6731

This document is the property of Clearstream Banking S.A. ("Clearstream Banking"). No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose without the express written consent of Clearstream Banking. Information in this document is subject to change without notice and does not represent a commitment on the part of Clearstream Banking or any other entity belonging to Clearstream International S.A.

This document does not constitute a Governing Document as defined in Clearstream Banking's General Terms and Conditions. This manual is only available in electronic format. Clearstream Banking allows clients to print the manual locally for their own use

© Copyright Clearstream International S.A. (2026). All rights reserved.

Clearstream and Xact Web Portal are registered trademarks of Clearstream International S.A.

Clearstream International S.A. is a Deutsche Börse Group company.

Microsoft® and Windows ® are registered trademarks of Microsoft Corporation.

Introduction

This document describes the connectivity protocols and ways that Clearstream can use to exchange files with its clients using Xact File Transfer.

Each solution has to be chosen regarding the kind of file transfer and technology capacity of the external partners.

Clearstream's proposals

On the Internet: Xact File Transfer via Internet

1. HTTPS protocol:
 - Secured solution;
 - Partner can upload or download.
2. FTP protocol with SSL/TLS (FTPS):
 - Secured solution using TLS;
 - Partner can upload or download.
3. SFTP (SSH) protocol:
 - Secured via SSH protocol;
 - Partner can upload or download.

Note: These protocols are also available through the use of the Deutsche Börse AG (DBAG) managed network.

On SwiftNetwork: Xact File Transfer via SwiftNet

SwiftNet FileAct protocol:


- Managed and secured network by Swift;
- Partner can upload;
- Clearstream can push files to partner side.

Xact File Transfer via Internet

Xact File Transfer via Internet is a machine-to-machine connectivity solution that allows Clearstream Banking clients to exchange files with Clearstream in an automated way, meaning clients can feed the files from and to their internal systems. The protocols used are industry standard, there is no specific client software required, the client can choose any client application that implements these standards.

Clearstream does not recommend nor support any specific client.

Clearstream file transfer connectivity solutions



Clearstream provides three systems: a production system and two test systems:

System	URL	IP
Production server	https://www.cdinternet.com	193.29.76.2
OneClearstream Test server	https://oneclearstreamtest.cdinternet.com	193.29.76.146
Test server 2	https://test.cdinternet.com	193.29.76.147

HTTPS protocol

Summary

Usage of the HTTPS protocol requires the use of one certificate. The certificate request has to be requested via the Xact Web Portal under the File Transfer Management menu. Please refer to Chapter "Creating a FileTransfer user in Xact Web Portal" for details and procedure.

If you are not an Xact Web Portal client please contact the Connectivity Helpdesk. It is strongly recommended to create a specific user certificate for this kind of transfer and name it "SFTP".

HTTPS details

- HTTP over SSL;
- Often called Secure HTTP;
- HTTP over TLS/SSL channel;
- Password is encrypted;
- Transfer is encrypted;
- Uses TCP port 443;
- As defined in RFC 2818 - 2817.

Firewall configuration

Xact File Transfer access using HTTPS requires TCP port 443 to be opened.

Sample Curl commands

Curl is a freeware transfer solution downloadable on <http://curl.haxx.se/>. It is available on many platforms and allows HTTPS file transfer.

Creating a cookie using HTTPS (this must be done first for download or upload)

```
curl -c cookie -k --cacert ClearstreamBanking.pem --cert cert.pem:Priv_Pass --key key.pem  
https://www.cdinternet.com/
```

List the content of your report folder using HTTPS

```
curl -o weblist.txt -b cookie -k --cacert ClearstreamBanking.pem -cert cert.pem:hPriv_Pass --key key.pem  
https://www.cdinternet.com/Reports
```

Download of PDF reports using HTTPS

```
curl -v -O -b cookie -k --cacert ClearstreamBanking.pem --cert cert.pem:Priv_Pass --key key.pem  
https://www.CDinternet.com/Reports/*. *. *. *. *.PDF
```

Upload of an ISO instruction using HTTPS

```
curl -v -b cookie -T "dummy.iso" --cacert ClearstreamBanking.pem --cert cert.pem:Priv_Pass --key key.pem  
-k https://www.CDinternet.com/Instruction_inbox/
```

Clearstream file transfer connectivity solutions

FTPS protocol

It is recommended that clients do not use this protocol; for connectivity reasons and ease of trouble shooting.

Summary

Usage of the FTPS protocol requires the use of one certificate and an associated user ID.

The certificate has to be requested via Xact Web Portal - File Transfer Management. It is highly recommended that client creates a specific User ID and names it "FTPS". Please refer to Chapter "Creating a FileTransfer user in Xact Web Portal" for details and procedure.

The request to use FTPS must be sent either via an authenticated Swift message (MT599), fax with two authorised signatures, Xact Web Portal free format message, or email to customeradmin@clearstream.com.

Please provide the following details in your request:

- Contact details;
- Filestore information;
- Certificate name that will be used (according to the new FileTransfer user that was created).

Please never attach the certificate to your email request.

Once the request has been processed, a registered letter containing a User ID and password will be sent to the client.

FTP details

- FTP over TLS;
- Also called FTPS or FTP Secure;
- Plain FTP over TLS channel;
- Transfer is encrypted;
- Uses TCP port 21 and TCP range 54000 to 55000;
- As defined in RFC 959, RFC 1123, RFC 4217 and RFC 2228;

Firewall configuration

Xact File Transfer access using FTPS require TCP port 21 + TCP Range from 54 000 to 55 000 to be opened.

Client configuration

- Follow the instructions provided by the third party FTP client supplier to import the keys.
- Clearstream Banking's system only allows passive FTP.
- Create an entry to www.cdinternet.com using the FTPS protocol.

Protocol selected should be:

- FTP with TLS (AUTH TLS - Explicit).

Sample Curl commands

Curl is a freeware transfer solution downloadable on [HTTP://curl.haxx.se/](http://curl.haxx.se/). It is available on many platforms and allows FTPS file transfer.

List the content of your report folder using FTPS


```
curl -v --FTP-ssl -o webxlist.txt --cacert ClearstreamBanking.pem --cert cert.pem:Priv_Pass
FTP://www.CDinternet.com/Reports -l --key key.pem -k -u FTP_USER_NM:Pa$$w0rd
```

Upload of an ISO instruction using FTPS

```
curl -v --FTP-ssl -T "dummy.iso" --cacert ClearstreamBanking.pem --cert Cert.pem:Priv_Pass
FTP://www.CDinternet.com/Instruction_inbox/ -l --key key.pem -k -u FTP_USER_NM:Pa$$w0rd
```

Download of PDF reports using FTPS

```
curl -v --FTP-ssl -O --cacert ClearstreamBanking.pem --cert cert.pem:Priv_Pass
FTP://www.CDinternet.com/Reports/*. *. *. *.PDF -key key.pem -k -u FTP_USER_NM:Pa$$w0rd
```



Name	Size	Date/Time	Attribute
Parent Directory			
Instructions_sent		13/11/2012 L...	drwxrwx---
Reports		13/11/2012 L...	drwxrwx---
Terms_and_Conditions		13/11/2012 L...	drwxrwx---
Instruction_inbox		13/11/2012 L...	drwxrwx---
Reports_downloaded		13/11/2012 L...	drwxrwx---

Figure 1. FTP connection to Xact File Transfer via Internet

Procedure to export .P12 and .CER certificates to external systems

Here are the steps that are needed to take to convert a .P12 certificate generated by Xact Web Portal in order to use it with a third party FTP tool or on a UNIX system requiring a PEM file (x509 certificate). This procedure is independent of the operating system and can be carried on any machine.

List of necessary software:

- Open SSL library <http://www.openssl.org/source/>
- Any FTP client that is RFC228 compliant curl, cute ftp, ws_ftp, ...

It is assumed that all the mentioned software is correctly installed in one computer.

Convert your certificate from .P12 to .PEM

- openssl pkcs12 -in your_cert.P12 -out client.pem -clcerts -nokeys
- openssl pkcs12 -in your_cert.P12 -out key.pem -nocerts

You can also export the CA key from your certificate

- openssl pkcs12 -in your_cert.P12 -out ca.pem -cacerts -nokeys

or from the CA and subCA certificates (Cer file)

Clearstream International root CA and Clearstream Banking CA can be obtained by connecting to <https://www.creationconnect.com/> and exporting the certificates using internet explorer.

- openssl x509 -in clearstreambanking.cer -inform DER -out Clearstreambanking.pem -outform PEM
- openssl x509 -in Clearstreaminternational.cer -inform DER -out Clearstreaminternational.pem

Clearstream file transfer connectivity solutions

SFTP (SSH) protocol

Summary

Usage of the SSH protocol requires the use of one certificate and an associated user ID. This certificate is created by the client by using a tool like Puttygen or Openssh. Only the public key needs to be sent to Clearstream.

In order to generate a user for the SSH service, a certificate request has to be created via Xact Web Portal by using File Transfer Management via Internet management. It is strongly recommended to create a specific User ID for this task and name it "SSH" or "SFTPUser". Please refer to Chapter "Creating a FileTransfer user in Xact Web Portal" for details and procedure.

The certificate of this user will not be used and can safely be discarded.

The import of the public key for SSH needs to be requested by sending an authenticated message to Clearstream.

This can be done via an Xact Web Portal free format message containing the public key, filestore and common name. This can also be done by sending an authenticated Swift message (MT599).

In addition to the authenticated request, an email containing the public key in a pub file, filestore and common name must also be sent to customeradmin@clearstream.com.

Our security department will ensure that the fingerprint on the request matches the fingerprint of the certificate created via Xact Web Portal. Please do not attach your private key to your request.

Once the import of the SSH key is completed, you will be informed.

The provided public key format needs to be 4096 bit SSH2- RSA type.

SFTP details

- SSH File Transfer Protocol
- Often called Secure FTP
- SSH File Transfer Protocol
- Password is encrypted
- Transfer is encrypted
- Uses TCP port 22
- As defined in RFC 4251

Firewall Configuration

Xact File Transfer access using SSH requires TCP port 22 to be opened.

Key generation

This describes the required steps in order to create SSH keys in order to use the SFTP protocol. This procedure is independent of the operating system and can be carried on any machine.

Necessary software, either:


- Puttygen <http://www.chiark.greenend.org.uk/~sgtatham/putty/download.html> or
- Openssh <http://www.openssh.com>

It is assumed that the selected software is correctly installed on one computer.

PuttyGen

Start PuttyGen. In the parameters, select type of keys to generate: SSH-2 RSA. The number of bits in the generated key should be 4096. On the action press Generate and move the mouse to generate some random numbers.

On the key comment field, please add a meaningful message in order for Clearstream to identify the target Xact File Transfer via Internet filestore and user. The public key can be sent to Clearstream by doing a cut and paste from the Key window or by using the save public key button.



Depending on your SFTP tool, you may need to either save both public and private keys separately or in one single "putty private key" file.

OpenSSH

From the command prompt, issue the command "ssh-keygen -b 4096 -t rsa -f myfile.ppk -C Filestore_user_bankA". Follow the instructions to protect the key with a pass phrase. The key fingerprint is provided at the end of the screen procedure.

SFTP client configuration


This chapter describes the required steps to use SSH keys in the frame of the SFTP protocol. This procedure needs to be carried on the SFTP machine. Even though Clearstream does not recommend any particular SFTP client, a popular example is:

WinSCP <http://winscp.net>

It is assumed that the selected software is correctly installed on one computer.

After starting WinSCP fill in your Session information. Host is www.cdinternet.com, port is TCP 22, and the user name is the certificate common name. Password will be left blank. Please indicate your private key file location and press Login.

Clearstream file transfer connectivity solutions



Depending on client needs, a different SFTP client can be used.

Xact File Transfer via SwiftNet FileAct

Summary

Xact File Transfer via SwiftNet, jointly operated by Clearstream Banking and Swift, provides Clearstream clients with a connectivity option through SwiftNet, using a file-based communications mechanism.

Xact File Transfer via SwiftNet implements high degrees of availability, robustness and security as is required for solutions that transport sensitive and confidential information.

SwiftNet FileAct details

- Rely on Swift network
- Transfer is encrypted
- FileAct protocol is used
- File compression is an option

This implementation requires that you are a Swift member or participant with a Swift network connection. Your infrastructure must include a SwiftAlliance Gateway, operational and ready to access the FileAct services.

You and Clearstream must request that Swift create a closed user group in order to start exchanging files. You must provide your DN (Distinguished Name).

Clearstream provides 2 systems: a production system as well as a test system:

System Address


System	BIC	Name
Production server	CEDELULL	clearstream.cd
Test server	CEDELULL	clearstream.cd!p

Clearstream file transfer connectivity solutions

Creating a new FileTransfer (SFTP) user in Xact Web Portal

Login into Xact Web Portal as an Administrator

Go to User Management > File Transfer Management > User



Click on Create and insert all the necessary fields (it is recommended to name the user "SFTPUser" as shown below), then click on "Submit".

In "Address" field, the current filestore can be selected if it has previously been migrated from CreationOnline:

The screenshot shows the 'Create' user form in the Xact Web Portal. The form is titled 'User Details' and contains fields for User First Name, User Surname, Telephone, Email, Address, User Id, Fax, and Channel. The 'Create' button is highlighted with a red box. The 'Submit' button is highlighted with a red box.

The user will then be in status "Pending New".

Query / List

Create

▸ Query

▾ List

Please select a row to see available actions.


	All	User Id	User Surname	Certificate CN	User First Name	Status	Last Update
	☒	SFTP	SFTPuser	96_SFTP	SFTPuser	Pending New	27/07/2021 18:32:48

1 Rows | 25 Rows per page | No selected rows | Query executed: 27/07/2021 18:33:04


And a second admin must click “Confirm”.



And then “Release”.



This will put the user in status:



At this stage, Clearstream has to take an action to update the status to:



Clearstream file transfer connectivity solutions

The client will then be contacted to continue with the SFTP connection setup.

If using SFTP, the client does not need to generate a certificate in Xact Web Portal for this user. The only step that is needed at this stage is to generate the SSH key pair and communicate the Public Key to Clearstream together with the new SFTP user details.

However if the client is using HTTPS, a .p12 in Xact Web Portal must also be created for this user.

Further information

For further information or if you have specific questions regarding Xact File Transfer, please contact the Clearstream Connectivity Help Desk as follows:

	Luxembourg	Frankfurt	London
Tel:	+352-243-38110	+49-(0) 69-2 11-1 15 90	+44-(0)20-786 27100
Fax:	+352-243-638110	+49-(0) 69-2 11-6 1 15 90	+44 (0) 20-786 27254
Email:	connectlux@clearstream.com	connectfrankfurt@clearstream.com	connectlondon@clearstream.com

Before contacting Clearstream Banking, please ensure that you have the following information to hand:

- Your organisation name and account number with Clearstream Banking;
- Your telephone number, fax number and email address;
- Details of the problem (please have full details available);
- If you have received an error message, full details of the error, with the error message number;
- Your organisation's Distinguished Name (DN);
- If you are using FTI, any FTI error code received.

Clients should note that, as is normal practice within financial organisations, Clearstream has implemented telephone line recording to ensure that the interests of Clearstream and of its clients are protected against misunderstandings or miscommunications.

Areas subject to telephone line recording include Client Services, the Treasury Dealing Room and back office operations. The recorded lines are the subject of an on-going formal maintenance and quality control programme to ensure their continued effective and appropriate deployment and operation.

Clearstream file transfer connectivity solutions

This page has intentionally been left blank.

Contact
www.clearstream.com

Published by
Clearstream Banking S.A.

Registered address
Clearstream Banking S.A.
42 Avenue John F. Kennedy
L-1855 Luxembourg

Postal address
Clearstream Banking
L-2967 Luxembourg

August 2026

Document number: 6731
